



### Loving Care: 6 to 12 Months

Loving Care is a series of four books for parents of children from birth to age 3 developed by Nova Scotia's Department of Health and Wellness. As a public health resource, Loving Care focuses on information that will help young families to protect, promote, or improve their health, and to prevent illness, injury or disability.

Three of the Loving Care books focus on babies and children at specific ages—Birth to 6 Months, 6 to 12 Months, and 1 to 3 Years. The fourth book—Loving Care: Parents and Families—offers information that will be useful to families whatever their child's age. You'll find references to Parents and Families in all of the other books.









Writing: Janis Wood Catano, Easy-to-Read Writing

Design: Derek Sarty, GaynorSarty

Photography: Shirley Robb, Communications Nova Scotia; Peter Barss; Margo Gesser

When referring to this resource, please cite it as follows:


Parent Health Education Resource Working Group. Loving Care: 6 to 12 Months.

[Halifax]: Nova Scotia Health Authority, 2020.

ISBN: 978-1-55457-266-5

Copyright, Nova Scotia Health Authority, 2009, Revised 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2019, 2020.

The information in this book is up-to-date as of the date of printing. This information is not a substitute for the advice of a health professional.



### Introduction



# Loving care is what every baby needs. It's what every parent wants to give.

Loving Care is the title of this series of books for parents. Each book gives information based on the age of your baby or child. We try to answer the questions you'll have as your tiny newborn grows into a busy toddler. This book gives you information about your baby from age 6 to 12 months.

Babies are born into many kinds of families. You may be on your own, married or in a relationship. You may be a parent by birth, adoption or fostering. You may have lots of family around or be far from home. You may have one baby, or two, or more!

Babies are raised by many different kinds of parents. You may be young or an older parent, able-bodied or living with a disability. You may be gay, lesbian, bisexual, or straight. You may be male, female, or transgender. You may be Aboriginal, new to Canada or from a family who's

#### Added info...

The information in all of the **Loving Care** books applies mainly to healthy, full-term babies. If your baby is premature or has special needs, you'll still find these books helpful. However, you may want to look for more information from your health care provider and other sources.

lived here for generations with Acadian, African, Asian, European, or Middle-Eastern roots.

This book is written for all the parents and families that make Nova Scotia a good place to live.

All babies need love and care. All kinds of parents and all kinds of families can give babies the love and care they need.

All parents wonder if they'll be a good parent, if they'll know what to do. You grow and learn as a parent by watching and listening to your baby. Your baby grows and learns with your love and support.

Life is a journey of discovery that you and your baby are taking together. No parent starts out having all the answers. Every day brings something new. You and your baby will both discover new skills and new strengths as you go along.

We hope these books will help you on your journey and will help you to make your own decisions about what's best for you and your family.

#### He or she?

In this book, we take turns using "he" or "she." Please know that whichever word we use, the information applies to both boys and girls.



Don't forget about **Loving Care: Parents and Families.** It contains information that will continue to be helpful as your baby grows.





In **Loving Care** we use the term "health care provider" to mean professionals who offer primary health care services to parents and families.

As well, Public Health Services and many other professionals and community resources are available to offer advice and support.

You'll find more information in the "Welcome" section of Loving Care: Parents and Families.

### **Contents**

Attachment	
Building love, trust, and confidence	4
Development	
Developing skills  New skills to watch for  Help your baby develop  You help your baby develop every day  When to wonder about your baby's development  It's too soon for toilet training	12 16 18
Play	
Play is important	
6 to 9 months  Games for you and your baby—	
10 to 12 months	33 37





Behaviour	
Cues	42
What to expect	
<ul> <li>Your baby may not want to let you out</li> </ul>	
of his sight	44
<ul> <li>Your baby may become shy and afraid</li> </ul>	
of strangers	45
<ul> <li>Your baby may get upset when he</li> </ul>	
can't do what he wants to do	
Discipline—loving guidance	47
Classic	
Sleep	
Sleep	52
Helping your baby sleep	53
Safe places to sleep	
Bed-sharing	
Moving your baby to another room	
Reducing the risk of SIDS	52

# Loving care is what every baby needs. It's what every parent wants to give.

#### Food

How should I introduce solid food?	62
How can I tell that my baby is ready for	02
solid food?	65
How to offer your baby solid food for the	00
first time	66
How can I tell when my baby is hungry	00
and when she's full?	68
Healthy food to offer your baby	
Iron-rich foods	
Finger foods	
How much will my baby eat?	
Learning to drink from a cup	
Healthy drinks for babies	
Sample menus	
Foods and drinks to avoid	
Expect a mess!	
Gagging and choking	
Feed your baby safely	
Food allergies	89
Eating together is important	90





#### Health

Hand washing	94
Immunizations	95
Flu vaccine	96
Questions that your health care provider	
may ask	97
When to see a health care provider	
Common concerns	99
Giving medicine	
Dehydration	99
Dental health	100
<ul> <li>Three steps to preventing cavities</li> </ul>	100
Teething	103
<ul> <li>Thumb sucking and soothers</li> </ul>	103
A smoke-free home and car	10/

#### **Safety**

Babyproof early	108
Babyproofing checklist	109
Lead poisoning	114
Car safety	115
Bath safety	116


#### **Support and Information**

Public Health Services......120

#### Thanks!

Thanks!......124

Building love, trust, and confidence	2
Temperament	4
Different temperaments	5



My baby is really turning into his own person. He can be quite a little character! I've been responding to my baby the best way I know but he seems very clingy. Is that normal?

### Building love, trust, and confidence



You have been building a bond with your baby by consistently responding to his needs with love and care. You come when he cries. You feed him when he's hungry. You comfort him when he's cold, tired or lonely. You pay attention to his cues and try to figure out what he needs. Responding in this way won't spoil your baby.

While you've been learning about your baby over the past months, he's been learning that he can count on you to be there when he needs you. This helps your baby to build love, trust, and confidence. It helps him feel secure.

### Your baby will show his growing love, trust, and confidence by:

- Wanting to be close to you.
   At this age, you may find that your baby wants to be close to you all the time.
- Wanting you to hold and cuddle him.
   Your baby needs as much love and cuddling as ever—maybe even more.
- Responding to you.
   Smiling when you smile, laughing and squealing when you play.
- Looking to you for comfort.
   You are the centre of your baby's world! He's beginning to understand that he needs you and can count on you.

Attachment

Attachment influences the way your baby's brain develops. It affects how your baby will think, learn, feel, and behave for his whole life. As your baby grows, his attachment to you will mean that:

- He'll be more likely to come to you with his problems.
- He'll be better at controlling his feelings. For example, he'll be less likely to shout or hit when angry.
- He'll be more confident.

Babies understand feelings long before they understand words. A gentle voice and gentle handling will let your baby feel your love. Babies are very sensitive to angry voices and rough handling—like pushing, grabbing, or pulling. This can make it more difficult for your baby to form a bond with you.


#### Your baby can't be too attached to you.

A strong attachment gives him the confidence he needs to explore his world. It enables him to develop independence. A strong attachment allows him to let go because he knows you'll always be there when he needs you.

#### Added info...

Different cultures and ethnic groups have special activities and rituals. These offer opportunities for being close and building bonds between parent and baby. They can also build your child's pride in his culture and who he is. These kinds of rituals could include things like hair care, massage, songs or stories.

Think about the things that made you feel close to your own parents and culture when you were a child. Make these activities a special part of your baby's life.



#### Added info...

It's never too late to begin building bonds between you and your baby.

You may be adopting a baby or may have been separated from your baby for a while and wonder if you've missed your chance for attachment. You have not.

Responding to your baby's needs will build love and trust between you at any age.

Talk to your health care provider if you are concerned about your baby's attachment.

Attachment

### **Temperament**

By the time your baby is 6 months old, you'll have a pretty good idea about what she's like—that is, the kind of temperament she has. You'll know how active she is and how she reacts to new people and events. You'll know whether she usually wakes up smiling or crying.

Parents have temperaments and personalities, too. Are you quiet or talkative? Are you easygoing? Or do you get upset when little things go wrong? Are you out-going or do you make friends slowly?

The kind of person you are can make it easier or more difficult for you to appreciate your baby's special qualities. For example, if you and your baby have the same kind of temperament, you may find it easy to understand her behaviour. If your temperament is different from your baby's, you may have to make more of an effort to understand and appreciate her.

CAUTION!

Don't give your baby a nickname you wouldn't want to have yourself, even if you're only joking.

An unkind nickname like "Piggy" or "Dummy" or "Chubby" might seem funny or cute when your baby is small. But nicknames have a way of sticking and it won't be funny when she's older.

It's also not helpful to give your baby a label—like telling her or others that she's "shy," "difficult," "picky," or "bad." These kinds of labels may make your baby feel bad about herself as she gets older.

You can't change your baby's temperament. But how you respond to her will make a difference in how she sees herself and the kind of person she becomes. If you see your child's qualities as special, she'll see herself that way, too.



### **Different temperaments**

Your baby's temperament is something he was born with. It doesn't change. It's not the same as a mood that can change from day to day.

His temperament affects how your baby reacts to the world and the people around him.

On the next pages, you'll find descriptions of 3 kinds of temperaments.

Most likely, your baby won't be exactly like any one of these three kinds of temperaments. But he may be most like one and the ideas on how to help him be his best may be helpful to you.





**Attachment** 

### Temperament 1

#### If your baby...

- Is happy to sit or play quietly—is not very active
- Eats and sleeps at the same times every day
- Gets used to new people, places and activities easily
- Doesn't get upset often
- Whimpers quietly if wet or hungry
- Doesn't make a fuss when upset
- Doesn't cry often
- Is usually happy and smiles a lot

#### You can help him be his best by...

- Spending time with him. He needs to be played with and talked to even if he seems happy on his own.
- Paying close attention to his cues. He may be so quiet that you need to look closely to see what he needs.
- Supporting his routines. Have regular mealtimes and bedtimes.
- Letting him enjoy other people. Find friends and relatives to spend time with him.

### Temperament 2

#### If your baby...

- Is active—can sometimes sit quietly, but likes to move, too
- Usually—but not always—wants to eat and sleep at the same times every day
- Takes a while to get used to new people, places, and activities
- Clings to familiar people
- Gets upset if there's too much activity or excitement
- Cries when upset
- Takes some time to warm up before smiling

#### You can help him be his best by...

- Giving him chances to play quietly and to be active.
- Encouraging his routines. Have regular mealtimes and bedtimes.
- Being patient. Give him time to get used to new things and new people. Don't rush or push him. Stay close so he'll know he's safe.
- Introducing new people slowly. Don't leave him with someone he doesn't know until he's had a chance to get used to them.
- Watching for his cues that he's getting upset or over-excited. Move him to a quieter place.
- Responding when he cries.
- Smiling at him. Give him lots of reasons to smile back.

### Temperament 3

#### If your baby...

- Is very active—twists and squirms. It's hard to keep him still long enough to change a diaper.
- Has a hard time settling into an eating and sleeping routine—wakes up often at night
- Has a very hard time getting used to new people, places, or activities. Does not like moving from one activity to another.
- Gets upset when he doesn't like something and lets everyone know it. Has a hard time calming down when upset.
- Cries loudly when wet, hungry or angry
- Is strong-willed
- Demands attention—will keep pushing to get what he wants

#### You can help him be his best by..

- Childproofing your home early. Your baby will probably move faster and sooner than others. You need to be ready to keep him safe.
- Developing routines. Have regular mealtimes and bedtimes. Gently help your baby get used to them. Find a quiet bedtime routine that helps him calm down.
- Allowing enough time for him to get used to new people and places. Let him know what's coming next. Give him time to get used to the idea.
- Accepting that your child will react strongly.
   Respond quickly and help him calm down.
   Stay calm. By staying calm you're teaching him to be calm.
- Giving your child the love, support, and attention he needs. Be consistent.



#### Your baby wants you to know...

You are the centre of my world. I need to know that you're near. I worry when I can't see you.

I need you to hold me and respond to me. I need to know you love me just the way I am.

Attachment


Developing skills	10
New skills to watch for	12
Help your baby develop	16
You help your baby develop every day	18
When to wonder about your baby's development	20
It's too soon for toilet training	22

### Added info...

If your baby is premature or has special needs, she may develop skills at different times than other babies.

Talk to your health care provider about what to expect with your baby.

## Development



My baby has grown so much! She's learning to do new things every day. What can I do to help her?

### **Developing skills**



This is an exciting time! Your baby is growing stronger and is able to do more things day by day.

She's getting better at using her hands. She'll be learning to feed herself with her fingers and to hold a spoon. She'll be learning to hold and drink from a cup.


She's becoming more mobile. Over the next few months, she'll learn to crawl, to stand, and maybe to take her first steps.

She's becoming more and more responsive

to voices and faces. She'll say her first words. She's starting to learn about her world and the people in it.

Children develop new skills by building on what they've already learned. For example, first they learn to lift their head, then to push up on their arms, then to get up on all fours, then to crawl. Encourage your baby as she develops each new skill, but don't rush her. Give her time to get comfortable with each skill before she moves on to the next.





On the next few pages you'll find new skills your baby will be developing over the next few months. Don't be concerned if your baby can't do every one of these things at these times. Babies develop skills at slightly different times.



If you are concerned, see "When to wonder about your baby's development" on page 20.

Praise your baby's efforts as she tries out new skills. Your baby depends on your love and support as she grows and develops.

### New skills to watch for between 6 and 9 months



Get up on hands and knees.



Eat with fingers.



Sit up alone.



Stand with support.



Move around. Some babies crawl, some scoot on their tummy, some shuffle along on their bum.



Pass things from hand to hand.



Pick up small things with thumb and first finger.



Throw, wave, drop, and bang toys together.



Babble. This can almost sound like talking.

### New skills to watch for between 6 and 9 months



Shake his head "no." Wave bye-bye.



Say "dada" and "mama."
Recognize the names of other family members.



Copy what you do—clap his hands, wave, and copy sounds you make.



Look for things when you show them to him, then let him watch you hide them—for example, under a cushion. If you hide something behind your back, your baby might crawl around you to find it.



Respond to other people's feelings. He'll know by the sound of your voice when you're happy, sad or angry. He'll smile when you're happy. He'll frown or look worried when you sound angry.



Recognize and be happy to see people he knows. He'll show you how much he loves you by smiling or laughing when he sees you.



Turn and look when you call his name.



Look to see where things go when they fall out of sight.

### New skills to watch for between 10 and 12 months



Hold a spoon and a cup. Try to feed himself.

Drink from a cup with help. Hold, bite and chew on soft foods.



Take a few steps holding your hand or holding onto furniture or a push toy. Babies learn to walk best in soft shoes or bare feet.



Stand alone and bend over.



Clap hands.



Take things out of a box or container.

### New skills to watch for between 10 and 12 months



Say one or two words. These might be hard to understand at first.



Begin to respond to simple requests—like, "More bananas?" or "Give it to Daddy."



Start to recognize the word "no." Your baby might know what the word means, but is still too young to stop what he's doing when he hears "no."



Use actions to let you know what he wants. He might hold out his arms to be picked up. Or might make the same sound or do the same thing over and over until you notice him.



Use exclamations, such as "Uh-oh!"

### Help your baby develop

#### To help your baby develop her muscles:

- Show her how to do things.
   Show her how to drop toys into large pots or other containers. Show her how to dump them out and put them back in. Let her copy what you do.
- Encourage her to move. When she's on the floor, put toys just out of reach and encourage her to move to get them. Put cushions on the floor for her to climb over. Lay on the floor and let her climb over you! When she starts learning to walk, give her an upside down laundry basket to push.
- Give her lots of chances to use her fingers and hands.
   Once your baby is eating solid foods, put small pieces of soft food in a bowl and let her pick out pieces to eat. Let her hold a spoon at mealtime. Give her toys that squirt water or make noise when squeezed.



As your baby starts to move around and to do more things, safety becomes an even bigger concern.

- You'll find information on babyproofing your home on pages 109–113.
- You'll find information on eating safely on page 70.



### Added info...

Babies like to do things over and over. For example, your baby might drop her spoon onto the floor over and over. If you build a tower of blocks, she'll knock it down over and over.

Be patient and enjoy the action! This is how babies learn that they can make things happen!

### To help your baby develop hearing and speech:

- Talk to your baby. Describe everything you do and see. Use real words, not baby talk. Describe what she's hearing, seeing, feeling, and doing. "Now I'm washing your arm." "Daddy's kissing your toes." "Mommy's holding the book." "Look at the red flower." "See the black kitty?" "Does your blanket feel soft?" Repeat the sounds your baby makes.
- Sing to your baby. Recite rhymes and poems. Read to her.
   Babies like to hear the same songs and stories over and over. It is a gift to your baby when you and others in your family talk and sing to her in different languages.



#### Added info...

Don't rush your baby. Give her the time and support she needs to grow and learn.

Development happens naturally as you play with and take care of your baby and other children. Including your other children when you play with your baby can be fun for everyone.

### To help your baby develop social skills:

- Show your baby how to do things.
   Clap hands, blow kisses, and wave bye-bye.
- Respect her feelings.
   Your baby is starting to notice that people are different. She'll be glad to see some people. She'll start to be shy with some people. Let her take her time. She'll decide for herself who she likes.
- Interact with your baby.
   Sit face-to-face when you play so she can see you smile and make faces. Copy her facial expressions and give her time to respond to yours.
- Praise and encourage your baby.
   Smile when you praise your baby. Say things like, "Good job getting your red ball!" and "Wow! You pulled yourself up!"
  Let her know that you notice and care about what she does.




### You help your baby develop every day

Many of the things you do every day will help your baby develop. You don't always need to set aside special time to do special activities to help your baby develop. Often, a single activity will help your baby in many different ways.

### When you hold your baby on your lap and read to him:

- You're helping him develop hearing and speaking skills.
- When you name the things he sees in the pictures, you're helping him learn that words have meanings.
- When you let him hold the book and turn the pages, you're helping him learn to use the small muscles in his hands.
- You're helping him develop social skills by strengthening your attachment to one another.
- You're teaching him to love learning by showing him that reading is fun!



# When you play rhyming, clapping, and singing games—like patty-cake, peek-a-boo, or ring-around-a-rosie:

- You're helping your baby to learn new words by hearing them over and over.
- You're helping him learn about rhythm and rhyme.
- You're helping him develop muscle skills by doing simple hand motions.
- You're helping him develop social skills by learning that playing with others is fun!

Helping your baby learn new and exciting skills can be fun for you both!

### Added info...

Clapping, singing, rhyming, and moving games are so important to babies' development that every culture has some of its own!

You can share your culture with your baby by playing the games and singing the songs you knew as a child.



### When to wonder about your baby's development


Between 6 and 12 months, most babies have developed a basic set of skills.

### Talk to a health care provider if by 12 months your baby:

- Cannot sit by herself
- Has not started crawling or scooting around the floor
- Cannot stand when you hold her up
- Isn't usually interested in playing peek-a-boo
- Doesn't usually smile back when you smile
- Doesn't usually laugh back when you laugh
- Doesn't babble. Doesn't say simple words like "mama" or "dada"
- Doesn't look for toys that you hide while she watches
- Doesn't point to objects or pictures when you say their name

Trust your instincts. If you are concerned about your baby's development at any time, you can contact your local Public Health Services office (contact information, page 120), your health care provider, or Early Intervention Nova Scotia. (Contact information is in Loving Care: Parents and Families).





### It's too soon for toilet training




Most children aren't ready to learn to use the toilet until after age 2.

Your baby won't have the ability to hold back pee or poop until after he's 2.

Don't try to force your child to use the toilet before he's ready. If you try to teach your baby

to do something that he's not old enough to learn, you'll both get frustrated and upset.

Be patient. Wait until after your baby's second birthday. By then, your toddler will be more ready to learn. Teaching him to use the toilet on his own will be easier for both of you.



Play is important2	6
Games and activities2	8
• Games for you and your baby—6 to 9 months	0
• Games for you and your baby—10 to 12 months3	3
Toys	7



How does playing help my baby? Is it still important for me to play with her? What can I do that will be fun for us both?

### Play is important

Play is how babies learn about themselves, their world, and the people in it.

#### Play builds babies' brains in many ways:

- Play gives babies the chance to learn what their bodies can do: hold, let go, reach, clap, wave, sit, move, crawl, and make sounds.
- Play gives babies the chance to explore and learn about cause and effect.
   What happens if I drop this rattle? Where does the toy go when it's under the blanket?
   If I climb over the pillow, will I get to Mommy?
   Can I catch the ball rolling on the floor?



 Play gives babies the chance to have fun with people who love them.

They learn new words, copy your smiles and actions, and begin to learn how to get along with others.

Play is good for the whole family! Healthy activities like going for walks together, visiting a park, or dancing around the room together are fun for everyone.

Play with your baby. Follow her cues.

Watch your baby's expression and listen to the sounds she makes. They will tell you how your baby is feeling while you play. Put these feelings into words for her— "You love singing!" "You're a happy girl when we play together!"

The best time to play is when she's quiet and alert. When she's tired of playing, she'll show you by turning away or losing interest.

26 Play



### Games and activities

Games and activities are fun for you and your baby. They also help your baby to learn. Babies learn by:

- Seeing something they want to do
- Trying to do it
- Doing it over and over

When you play with your baby, be sure he's looking at you when you start. Show him what to do. Give him a chance to copy you. Praise him for trying. Praise him when he succeeds.

Learning takes time. Don't rush your baby. Play with him when he's alert and interested. Stop when he loses interest or turns away. Let your baby set the pace. If you try an activity and your baby isn't interested, wait a few days or weeks and try it again.

#### Added info...

You can encourage your baby by being very clear about what you're praising. Say things like:

"You did it!"

"You put the ball in the basket!"

"You're trying hard to climb the cushion!"

When you praise your baby, smile and clap. Let him see and hear how proud you are.



28 Play

Babies like to play in different ways at different times.

- Sometimes they'll like active play—rolling, creeping, crawling and climbing, crawling through tunnels, and hiding under tables.
- Sometimes they enjoy quiet play—like songs and stories, being read to, or playing clapping games and peek-a-boo.
- Sometimes they like to play on their own filling containers and dumping them out, banging toys together.

Try lots of different activities with your baby. Grandparents and elders can be a good source for games, songs, and rhymes from your culture.


On the next pages you'll find a few games and activities to get you started. Follow your baby's cues. He'll let you know what he likes best.

# Added info...

When you're playing with your baby, most of the time you're showing him what to do and he's copying you. It can be great fun for you both to switch this around.

When your baby is playing, let him take the lead and then copy whatever he does.

- If he claps his hands, clap along.
- If he crawls over a cushion, crawl after him.
- If he puts lids in a container, put them in too
- If he bangs lids together, bang with him.



### Games for you and your baby—6 to 9 months

### **Creeping crawlers**

# To help your baby strengthen her arms and legs:


- Lay your baby on her tummy on the floor. Move in front of her so she can see you. Crawl. See if she tries to copy you.
- 2. Gently support her in a crawling position on all fours. Let go. Trying to stay up on all fours will help her muscles get strong enough for crawling.
- 3. When she can stay up on her own, put a toy she likes on the floor in front of her. This will encourage her to crawl toward it.



### Climbing and crawling

#### To help your baby practice crawling:

- 1. When your baby has started crawling, put some cushions and folded blankets on the floor.
- 2. Encourage your baby to crawl over and around them. Your baby may enjoy you crawling beside or behind her.



#### Lots of lids

#### To help your baby learn to use her hands:

- Collect lids from frozen juice containers and metal lids from jars. Use the kind of lids that pull off with no sharp edges, NOT the kind that open with a can opener.
- 2. Find a plastic or metal container with no sharp edges, like a margarine container.
- 3. Show your baby how to put the juice lids in the container. Let her watch you do it. See if she tries to copy you. Be patient. There's no rush. If your baby would rather bang the lids together or play with them in another way, that's fine. Just wait a few days and try again.
- 4. Next, show your baby how to spill all the lids out, and start over.

Describe what you're doing while playing this game. Talk about how you're putting the lids into the container. Describe the noise they make, or how they spin or roll around.

# Added info...

Your baby will enjoy playing with these lids for a long time, so keep collecting lids.

For example, when your baby gets a bit older, you can put simple, brightly-coloured stickers on the lids. You can use them to teach him the names of the colours, animals, or shapes on the stickers.

You can put the same stickers on two or more lids and use these to help her learn about matching.



#### Row, row, row your boat

#### To help your baby strengthen her body:

- 1. Sit on the floor with your legs long and your knees apart.
- 2. Sit your baby between your legs, facing you, so that her hands are near your knees.
- 3. Hold your baby's hands or shoulders. Gently rock back and forth while you sing "Row, Row, Row Your Boat" or another familiar song.
- 4. When you get to the word DREAM, reach her hands up high.

# Added info...

Just in case you haven't heard this song in a while...

Row, row, row your boat, Gently down the stream, Merrily, merrily, merrily, Life is but a DREAM!



### Games for you and your baby—10 to 12 months

#### Cardboard tunnels

To help build your baby's muscles; to help him learn about ideas like under, through, in, and out:

- Find a large box—bigger is better. Check to be sure there are no staples or packing materials in the box. The box should be at least big enough for your baby to crawl through.
- 2. Open the flaps on the ends of the box. Tape them to form a tunnel.
- 3. To keep the box from falling over, prop it with chairs on each side.
- 4. Show your baby how to crawl through the tunnel. Show him how to roll balls or trucks through.

5. While your baby is playing, describe what he's doing. For example, "You're crawling fast!" "You rolled the ball through the tunnel!" This will help him learn new words and ideas.

If you don't have a box, you can also make a tunnel by throwing a sheet over a table or over two chairs placed back to back.



#### Read to me

To help your baby learn to like books; to help him learn to connect words with pictures; to make reading fun for parents and baby:

- Collect children's books from friends, yard sales, or the library. Babies like plastic coated board books with simple, brightly coloured pictures.
- 2. Hold your baby on your lap. Let him turn the pages if he wants to.
- 3. Point at the pictures and talk about them. For example: "That's a big green bird. Do you like the bird?" "I see a bear sitting in a tree. Can you point to the bear?"
- 4. Make up little stories for pictures your baby seems to like. For example: "Look, here's an orange cat, just like Grandpa has. The cat says meow. Can you say meow? Meow, meow."

5. Go at your baby's pace. The point is to give your baby a chance to have fun with books. You don't have to read the entire story or look at every page. Babies like to "read" the same books over and over.

Take books with you when you go out—on the bus, in the car, and to the health care provider's office. Find time every day to share books with your baby.

### Added info...

Check out your local library or bookmobile for books and programs for babies. The librarian can suggest good books for your baby's age.

See **Loving Care: Parents and Families** for contact information.



#### If you're happy and you know it

To help your baby learn the names of body parts; learn to move the right part of his body when he hears its name; and to give him a chance to have fun:

 Sing the song and do the actions. Help your baby do the actions until he learns to do them on his own.

If you're happy and you know it, CLAP YOUR HANDS

If you're happy and you know it, CLAP YOUR HANDS

If you're happy and you know it, and you really want to show it
If you're happy and you know it,
CLAP YOUR HANDS!

2. Repeat, using different body parts in the song. For example:

If you're happy and you know it, TOUCH YOUR NOSE

If you're happy and you know it, KICK YOUR FEET

If you're happy and you know it, TOUCH YOUR EARS

If you're happy and you know it, PAT YOUR HEAD

If you're happy and you know it, RUB YOUR ELBOW

### Added info...

Think about the songs you loved as a child. Enjoy them again with your baby!

#### **Clapping**

# To help your baby learn to use his hands:

- 1. Clap your hands where your baby can see you.
- 2. Encourage him to clap on his own.

You can encourage clapping by clapping and cheering when your baby does something new or exciting.



Play 3!

#### Building up and knocking down

To help your baby build muscles; develop coordination; and learn about cause and effect:

You can use tissue boxes, plastic containers, or wooden or soft blocks for this.

- 1. Sit on the floor with your baby.
- 2. Build a tower using 2 or 3 blocks.
- 3. Knock it over.
- 4. Let your baby try.



#### **Rolling ball**

#### To help your baby play with others:

- 1. Sit on the floor facing your baby.
- 2. Roll a ball toward him.
- 3. Ask him to roll it back to you.
- 4. When he does, roll it toward him again, this time a little faster.

This can be fun for older brothers or sisters to play with the baby.



# Added info...

Babies learn to talk by listening to the people around them.

- When you play with your baby, talk, talk, talk about what you and your baby are doing.
- "Talk" to your baby by repeating the sounds he makes like "da, da, da," or "ma, ma, ma."
- Talk back and forth with your baby on a play phone.
- As you do everyday jobs—like cooking, cleaning, and shopping—describe them to your baby as you do them.

# **Toys**

#### You are still your baby's best "toy."

- You can talk, sing, and read to her.
- You can help her to sit, crawl, stand, and move around.
- You can show her how to clap and wave, how to put things in boxes and take them out, and how to crawl through tunnels.
- You can show her the world by telling her what she sees when you take her for walks or grocery shopping.

What other toy can do all that?


At this age, your baby is curious about everything. She wants to see, feel, hear, and taste everything. She wants to do things and make things happen. She needs toys that can help her explore.

Toys don't need to be expensive, or even store bought. Lots of things in your home make fine toys for babies.

# Added info...

It can be a good idea to put some toys away for a few days once in a while. Then, when you bring them back, they'll seem new to your baby.

Many Family Resource Centres have toy libraries where you can borrow toys. This is a good way to give your baby the chance to play with different toys. (Contact information for Family Resource Centres is in Loving Care: Parents and Families.)



#### Your baby will enjoy:

#### Toys that make noise:

Pots and pans to bang, wooden spoons to hit them with, rattles to shake, squeaky toys to squeeze

# Toys that move: Balls to roll, cars to push

#### Toys to stack and nest:

Soft blocks to stack up and knock down, empty plastic containers to stack, measuring cups that fit inside one another

- Toys to hold and squeeze:
   Dolls, stuffed animals, soft books
- Toys to crawl through and climb:
   Big empty boxes to crawl through, firm cushions to climb over
- Toys for bath time:

Toys that float, containers, funnels, squeeze bottles, cups



Everything your baby plays with should be safe, clean, and right for her age.

#### Safe baby toys:


- Have no sharp points or edges.
- Have no small parts that could break or pull off.
- Are too big to swallow or choke on.
   Anything that can fit through a toilet paper roll is too small for your baby to play with.
- Are not too noisy. If a toy is loud enough that you have to raise your voice above the noise, it's too noisy for your baby.

Check your baby's toys often. Keep them clean. Carefully wash any household items you use as toys. Throw away broken or damaged toys.

If you buy toys second hand or are given toys, check with Consumer Product Safety to be sure the toys haven't been recalled. (Contact information for Consumer Product Safety is in **Loving Care: Parents and Families.**)

See **page 113** for more information about toy safety.





Cues	42
What to expect	43
<ul> <li>Your baby may not want to let you out of his sight.</li> </ul>	44
Your baby may become shy and afraid of strangers	45
Your baby may get upset when he can't do     what he wants to do	46
Discipline—loving guidance	47



My baby is changing so fast! I thought that as he got older, he'd be more independent, but he seems to be getting more clingy and afraid. And he's starting to get angry when he doesn't get his own way!

# Cues

Your baby was born with a set of built-in cues to let you know what he needs. For example, he might suck on his fist or fingers when he's hungry. Or close his mouth when he's full.

When you respond to these cues, you are communicating with your baby. You are showing him that he has ways to let you know what he needs. As your baby grows and is able to do

more, his cues will change. He'll begin to develop new ways of communicating.

Your baby is still too young to be able to tell you what he needs or to explain how he feels. He can only show you. His behaviour is a way of communicating with you. When you respond to your baby, think: "What is my baby trying to tell me?"

# Your baby will show he's happy and enjoying himself by:

- Turning, moving, or reaching toward you
- Looking at you with bright, wide eyes
- Clapping, laughing, squealing
- Touching, hugging, kissing
- Waving his arms and kicking his legs
- Pointing at what he wants




# Your baby will show you he's unhappy, tired, or upset by:

- Turning, looking, or moving away from you
- Arching his back, pushing away
- Frowning, pouting, sticking out his lower lip
- Fussing, crying, screaming, kicking



**Element 1** Behaviour

# What to expect



Between 6 and 12 months, many parents notice a few big changes in the way their baby behaves.

- Your baby may not want to let you out of her sight.
- Your baby may become shy and afraid of strangers.
- Your baby may get upset and angry when she can't do something she wants to do.

Parents are sometimes surprised by these changes but they are a natural and important part of your baby's development. Try to see things from your baby's point of view. This can help you understand what she's feeling and why she acts the way she does.

# Added info...

It can be tiring and frustrating when your baby cries, clings, and wants you every minute. All parents need some help once in a while.

Try to find someone to help you—like a trusted friend or a relative—who can come on short notice when you need a break. Keep their phone number handy.

Talking to other parents can also be a big help. You'll find information about support for families in the "Welcome" section of Loving Care: Parents and Families. You can also call the Helpline to find out about supports in your community (contact information, Loving Care: Parents and Families).

### Your baby may not want to let you out of his sight

#### What your baby is feeling

Your baby knows that you are the most important person in his life. He depends on you for everything. He has formed a strong bond with you. When he can't see you, he doesn't know where you are. He doesn't know if you'll come back. This is very scary for a baby. He'll cry for you when he can't see you.

This is a healthy part of your baby's development. It means that your baby is strongly attached to you. It means that he's learning how much he needs you.

### Added info...

Don't feel guilty about leaving your baby to go out once in a while! You need some time to relax—by yourself, with your partner, or with friends.

And your baby needs to learn that when you go away, you **do** come back.



#### What you can do

This can be very tiring for parents! Be patient. Your baby needs to learn that he can count on you to be there when he needs you. He needs to know that he can trust you to come back when you go away. This can take time.

To help your baby feel safe and loved:

Give him as much love and time as you can.

Keep him near as much as possible. When he can crawl, let him follow you from room to room. This won't spoil him! When your baby gets the love he needs, he'll feel safe. When he feels safe, he'll be able to become more independent.

 Help him become attached to other people in his life.

Your baby needs other people, even if he doesn't know it. Encourage the other people your baby is comfortable with to give him lots of love and attention.

Don't sneak out on your baby.

It can be very hard to leave when your baby is screaming for you. It can seem easier to just sneak away when he's not looking and avoid the fuss. Don't do it. This will only teach your baby that he can't trust you. It will make him more worried when he can't see you. He'll cling to you more.

When you have to leave your baby, be sure he knows the person you're leaving him with. Tell your baby "bye-bye" and that you'll be back soon. He'll still cry, but he'll also slowly learn to trust that you will come back.

### Your baby may become shy and afraid of strangers

#### What your baby is feeling


Your baby knows she loves **you**, but she's not so sure about other people anymore. She's learned that people are different. And there are some people she's more comfortable with than others.

Often what scares your baby isn't the new person. It's what the new person does. For example, would you like a perfect stranger to come up to you on the street and hug you? Your baby doesn't like it much either. Remember that people you know—even relatives—may be strangers to your baby.

#### What you can do

#### Respect your baby's feelings.

Give her time to get used to someone new. Let her meet new people while sitting safely on your lap or looking over your shoulder. When your baby is ready, she'll move toward anyone she wants to go to.



### Your baby may get upset when he can't do what he wants to do

#### What your baby is feeling

Your baby is curious about everything. He wants to try new things. It can be very frustrating for him when he can't do what he wants to! And he lets you know he's upset by crying, screaming, and kicking. This doesn't mean that your baby is bad. It's the only way he has to show you how he feels.

#### What you can do

#### Be calm.

The best thing you can do when your baby is upset and angry is to stay calm. Your baby is much more likely to quiet down when you are calm and speak to him in a gentle voice. Ask yourself what your child is feeling. Put his feelings into words for him. For example, "You're upset!" or "You feel angry."

These strong feelings are new to your baby. He needs you to be calm and in control when he's feeling out of control. When you get angry, it frightens your baby and makes things worse. No matter how upset your baby gets, never spank, shake, or yell at him.

There are several reasons why your baby might get frustrated:

 Your baby wants to do something he's not yet able to do.

For example, he's learned to sit up by himself, but he hasn't yet learned how to go from sitting to crawling. He gets stuck in one position.

If this is the case, help your baby learn the skill he needs. Help him practice going from sitting to crawling.

 You've stopped your baby from doing something that he wants to do.

You can't let your baby do things that could hurt him or someone else, no matter how much he wants to. Try distracting your baby with another interesting toy or activity. Try moving him to another place. Sometimes this doesn't work right away and your baby keeps crying. When this happens, tell him you understand how he feels. For example, "I know you want to play with the plastic bag, but it's not safe." Keep comforting him.

#### **CAUTION!**

Never shake, spank, or yell at your baby.

Shaking can hurt or kill your baby.

Spanking won't teach your baby to behave. It will hurt and frighten him. It will teach him to be afraid of you. It will teach him that he can't trust you not to hurt him. It will teach him that it's okay for him to hit other people.

Yelling won't teach your baby to behave either. It will frighten him. It will teach him that it's okay for him to yell when he's angry or upset.

For information on handling stress and anger, see the "Parents" section in Loving Care:

Parents and Families.

# Discipline—loving guidance

Discipline is never about punishment. The word "discipline" means teaching.

At this age, discipline is loving guidance that keeps your baby safe and helps her learn. This means being patient, gentle, and consistent as you set limits and help your baby handle her feelings. Your baby may not always be happy about this, but keeping her safe and helping her learn is your job.

There's no point in making rules for babies. They are too young to understand them or to follow them. Babies learn bit by bit, over time. You won't spoil your baby by being patient, gentle, and consistent.

#### To keep your baby safe and help her learn:

#### • Be patient.


This is an exciting time. Your baby is learning new things every day—like when she drops a spoon, it makes a noise. Babies learn by doing the same thing over and over. When you understand this, it can be easier to be patient and help her learn.

#### Be consistent.

Don't keep changing your mind about what your baby can and can't do. It's very hard for a baby to learn if what you expect of her keeps changing.

It's also helpful when all your baby's care givers—parents, grandparents, and others treat your baby in the same way.

Babies also need consistency in their day-today life. They need regular routines.



# Added info...

You are your baby's first teacher.

How you treat your baby teaches your baby how to treat you and other people.

If you are calm and patient, even when you feel stressed or upset, your baby will learn to act this way.

If you lose your temper and yell, your baby will learn that this is the way to act when he feels stressed or frustrated.

They need to know what to expect. This kind of consistency helps them feel secure and feeling secure helps them learn.

#### Be gentle.

If your baby is reaching for something dangerous, don't slap her hands. Hold them gently and move away. Say, "hot" or "ouch" to let her know about the danger. And be gentle when you speak to your baby. Babies are very sensitive to your tone of voice and angry voices frighten them.

# Help your baby begin to learn warning words.

Don't always say "no." If you say "no" too often, your baby may stop listening to it. Use words like "hot," "yucky," "ouch," "stop," and "wait." Help your baby learn these words and what they mean.

#### Respond to your baby.

Your baby wants your attention, love, hugs, and smiles more than anything. Praise her when she learns new things. Praise her for trying. Be specific when you praise. "Yay! You've learned to blow a kiss!" "You did it! You put the block in the bucket!" "Good try!"

#### Make your home safe.

Your baby needs to explore. She needs to see and do new things. Make her world safe so she can't get hurt and so you won't have to say "no" so often.

#### Help your baby get the rest and food she needs.

Babies are often unhappy when they are tired or hungry. Be sure your baby is well rested and not hungry when you take her out. Try to stick to her regular times for eating and sleeping.

#### • Give your baby other things to do.

If your baby is doing something dangerous or wants something she can't have, distract her with another activity.

#### Help your baby learn how to do things.

For example, if your baby hits the dog, show her how to pet gently. Show and tell her how to do things. "Chairs are for sitting on." "Sand is for scooping." "Grannies are good to hug."



Hang on to your temper!

Helping your baby learn and keeping her safe can be frustrating and tiring.

You'll find information on managing stress and anger in the "Parents" section of Loving Care:

Parents and Families.



You'll find information on babyproofing your home on page 108.




You'll find information on pet safety in the "Families" section of Loving Care: Parents and Families.



Be patient with me. Give me the time I need to learn I can trust you and other people. Give me the time I need to explore and understand my world.

50 Slee



My baby seems to be having a harder time settling down to sleep. And he wakes up at night and cries for me. What can I do?

# Sleep

Babies need their sleep! A tired baby is a fussy baby.

Most babies 6 to 12 months old need 12 to 14 hours of sleep every day. Your baby may sleep more or less than this.

Most babies still take a nap in the morning and another in the afternoon. But some don't. Every baby is different.

Many parents notice that at about 6 months, their baby's sleep patterns change. For example, their baby may have more trouble settling down to sleep. Or he might have trouble falling back to sleep when he wakes up at night. These changes in sleep patterns are a normal part of your baby's development.

It's **not** common for babies this age to sleep through the night. It's normal for breastfed babies to need a feeding during the night, either because they're hungry or they need comfort. If you're feeding your baby with infant formula, he may also need a feeding during the night.

In this section, you'll find information to help you with parenting your baby during the night. Most parents get lots of advice from family and friends about where babies should sleep, how much sleep they need, and how they should respond when their baby wakes up at night. What you do

should depend on what works for you, your baby, and your family.



# CAUTION!

Hold your baby during feedings.

Never prop a bottle or a sippy cup. Never put your baby or toddler to bed with a bottle or a sippy cup.

This can cause ear infections and choking. It can also cause early childhood tooth decay. (See pages 100–102.)

Sleep.

# Helping your baby sleep

There are several things you can do to help your baby settle down to sleep.

- Have a regular daily schedule.
   This means:
  - Getting up at about the same time every day
  - Having meals, naps, and play times at about the same time every day
  - Going to bed at about the same time every night

Babies like to know what to expect every day and this kind of routine helps them get used to sleeping and being awake at regular times. Make an effort to stick to this routine even when you have visitors or are away from home.



Have a routine for bedtimes and naps.

Do the same things, in the same order every day at bedtime. A routine at naptime will help your baby settle down to sleep during the day.

A bedtime routine should be quiet and calming. It could include: a feeding, a bath and tooth brushing, a massage or quiet play, a bedtime story or song, a goodnight kiss, and lights out.

You and your baby will find a routine that works for you. What matters is that your routine calms your baby, stays the same, and happens at about the same time every day.

Bedtime routines work best when every one who cares for your baby knows and follows them.

It's the same for naptime routines. They can be very simple—a feeding, a cuddle, and a kiss. Find a routine that works for you. Do it at about the same time and the same way every day.

### Added info...

Turn off the lights and TV in the room where your baby sleeps.

Light and noise can make it harder for your baby to get the rest he needs.

Sleep 5

· Watch your baby's cues.

Bedtime and naptime routines work best when you plan them for times when your baby is *starting* to get tired. Your baby will let you know when she's tired. She might rub her eyes or yawn. She might become less active or less interested in what's going on. She might get very quiet. She might get fussy, cranky, or whiny.

### Added info...

Naptimes are important!

Making sure your baby gets naps during the day will help him sleep at night.

Babies can have a hard time falling asleep at night because they are **too** tired.

# Safe places to sleep

The Canadian Paediatric Society recommends that after 6 months, the safest place for babies to sleep is in their own crib, either in their own room or in their parent's room.

If your baby has been sleeping in a crib in your room, you can continue with this. Or you can move your baby's crib to another room. Either choice is safe. Do whatever feels most comfortable for you and your baby.

# Added info...

**Co-sleeping** means that your baby is near you, but in his own crib. Research has shown that this is safe and may reduce the risk of SIDS.

**Bed-sharing** means bringing your baby into your bed.



### **Bed-sharing**

Many breastfeeding mothers enjoy the closeness of sharing their bed with their baby and find that it makes nighttime feedings easier.

There has been a lot of research looking at whether bed-sharing is safe or whether it increases the risk of SIDS. One thing that the research shows is that if you smoked during pregnancy or if you smoke now, bed-sharing increases the risk of SIDS.

The safest approach is co-sleeping. Have your baby sleep in a crib near you. Bring her into your bed to breastfeed and return her to her own crib after the feeding.

If you are a breastfeeding mother who does not smoke and did not smoke during pregnancy, you can make bed-sharing as safe as possible by being sure that:

- Your mattress is firm. No waterbeds, soft mattresses, or cushions.
- Your baby can't fall out of bed or get stuck between the mattress and the wall. He can't get trapped under the sheets, blankets or pillows.
- Your partner knows the baby is in the bed.
- Your baby sleeps on his back when he's finished feeding.

It is NOT SAFE to bring your baby into bed with you if there is any reason that you might find it hard to respond to your baby. This could be because you or any other person in the bed:

 Are so tired that you might have trouble waking up when your baby cries.

- Have an illness or condition that could affect your ability to respond to your baby.
- Have taken medicine that could make you very sleepy.
- Have used alcohol or other drugs.

It is NOT SAFE to bring your baby into bed with you if you (or any other person in the bed) smoke—even if you never smoke in bed. If you smoked during pregnancy or after the baby's birth, it increases the risk of SIDS. If you smoke, sharing a bed with your baby increases this risk even more.

It is NOT SAFE to sleep with your baby on a sofa, armchair, or recliner. They can fall off or get stuck between the cushions and the back of the sofa.

It is NOT SAFE for pets to sleep with your baby.



Sleep 55

# Moving your baby to another room

Over time, your baby will gradually make the move to sleeping in another room. There is no hurry for this. Do what works best for you and your baby.

It's not always easy for a baby to get used to sleeping in a different room. You are the most important person in your baby's life and she worries when she can't see you. When she wakes up alone, she may need to see you before she can relax and go back to sleep.


There are several things you can do to help your baby get used to sleeping alone.

 Help your baby learn to soothe herself to sleep.

Lay your baby in her crib when she's drowsy, but still awake. Give her the chance to soothe herself to sleep by making sure her sleeping area is quiet and the lights are dim. Some babies like soft music or a mobile over their bed to look at.

Babies often soothe themselves to sleep by sucking on their fingers.

Everyone wakes up several times during the night. Most of the time we put ourselves back to sleep so quickly that we don't even remember we've been awake. If your baby learns to soothe herself to sleep when she first goes to bed, it's more likely that she'll be able to soothe herself back to sleep when she wakes up during the night.



# CAUTION!

Remove mobiles from the crib as soon as your baby can sit up by himself.

 If your baby wakes up and is making noises or calling, give her a few minutes to soothe herself back to sleep.

If your baby is still awake after about 5 minutes, go to her. Leave the lights off. Comfort her without picking her up. You can talk softly, stroke her head or pat her tummy. Let her know you're there and you love her. Then leave. Playing with her or doing anything fun or interesting will just give her a reason to stay awake.

If your baby calls you again, go to her and do the same thing again. If she wakes up later on, keep going to her, comforting her, and then leaving. Soon you should both be sleeping better! If you've done this for two weeks and your baby is still not sleeping, talk to your health care provider or call Public Health Services (contact information, page 120).

 If your baby wakes up crying loudly go to her and comfort her right away.

When babies are actively crying they can't soothe themselves and need your comfort. The longer they cry, the more upset they become and the harder it is for them to go back to sleep. Pay attention to your baby's cries. You'll soon learn which ones you need to respond to quickly.

### Added info...

Your baby's sleep patterns may change when she is sick or teething. If your baby is sick, pick her up and comfort her. A sick baby needs care day or night.

You'll find information on how to soothe a teething baby on page 103.

# Added info...

Learn your baby's cues.

Many babies still need to be fed during the night. Pay attention to your baby's cues so you can tell when she's hungry.

For many breastfed babies, breastfeeding is an important source of comfort as well as nourishment. Follow your instincts and your baby's cues to give her what she needs to soothe herself back to sleep.



### **CAUTION!**

**DO NOT** put your baby to bed with a bottle or sippy cup. This can cause ear infections, choking and tooth decay.

# Reducing the risk of SIDS

SIDS—Sudden Infant Death Syndrome or Crib Death—is the sudden death of a baby who seemed perfectly healthy. SIDS is the most common cause of death in babies' first year of life. SIDS usually happens while the baby is sleeping.

No one knows what causes SIDS. No one knows how to prevent it.


But we do know that there are things parents can do to make SIDS less likely. Since parents started following these suggestions, the number of babies dying from SIDS in Canada has been cut almost in half.

#### SIDS is LESS LIKELY to happen when:

- Babies sleep on their back
- Babies live in a smoke-free home
- Babies are breastfed
- Babies are not too hot
- The crib has a firm mattress. There should be no pillows, comforters, stuffed toys, or bumper pads in cribs. If your baby needs a blanket, a knitted or crocheted blanket is a good choice.



See page 104 for more information on a smokefree home and car.



Sleep

Harrighand Children dress solid food)	62
How should I introduce solid food?	62
How can I tell that my baby is ready for solid food?	65
How to offer your baby solid food for the first time	66
How can I tell when my baby is hungry and when she's full?	68
Healthy food to offer your baby	69
Iron-rich foods	72
Finger foods	73
How much will my baby eat?	74
Learning to drink from a cup	75
Healthy drinks for babies	76
Sample menus	79
Foods and drinks to avoid	82
Expect a mess!	84
Gagging and choking	85
Feed your baby safely	87
Food allergies	89
Esting together is important	00



# How should I introduce solid food?



At six months, most babies are ready to start eating solid food. Their body is ready to digest solid food and they need the iron from food to grow and develop. At 6 months, babies are ready to learn the skills they need to pick up and swallow solid foods.

This is an exciting time for your baby! She'll taste new flavours, feel new textures, and discover new foods.

This is when she begins learning to enjoy the healthy foods her family likes. This is when she starts to develop feelings about food and eating that will last a lifetime.

# Added info...

Some of the information in this section may be new to you. It may be different from the way you were fed or how you've fed your other children. It may be different from the way your culture introduces solid foods.

All of the advice in this section is based on recommendations from Health Canada, the Canadian Paediatric Society, Dietitians of Canada and the Breastfeeding Committee for Canada.

From the first time you offer your baby solid food, your goal is to help her develop healthy attitudes toward food. This means that your baby:

- Knows when she's hungry
- Knows when she's full
- Knows that how much she eats is up to her

The key to developing healthy attitudes toward food is to let your baby know from the start that she is in charge of how much she eats. From the first time you offer solid foods from a spoon, give your child soft finger foods to pick up. It will be a long time before she gets much of the finger food into her mouth and actually swallows it. But this helps her learn to feed herself and teaches her that she's in charge of how much she eats.

Until about 12 months, your baby will still be getting most of her nourishment from breastmilk or formula. Your baby may not eat much solid food at first but you can trust your baby to know how much to eat. Babies know when they're hungry and when they're full.

# Added info...

Continue to breastfeed for as long as you and your baby enjoy it. The Nova Scotia Health Authority, Health Canada, the Canadian Paediatric Society, and the World Health Organization all recommend breastfeeding up to two years and beyond, as long as mother and baby want to continue.





As you introduce your baby to solid food, each of you has a role.

- You decide what food to offer, and where and at what times to offer food to your baby.
- Your baby decides which foods she eats, how much she eats, and whether or not she eats.

Between 6 and 12 months, your baby is learning a lot about food and eating. She'll learn to:

- Swallow
- Move food from the front of her tongue to the back of her tongue
- Gum and chew food
- Pick up food
- Feed herself with her fingers
- Hold a spoon

This is a lot to learn! So take your time. Don't rush or force the process. Discovering new tastes and textures can be exciting and fun for your child. One of the best ways to help your baby develop healthy attitudes toward food and eating is to relax and enjoy the process yourself.

# How can I tell that my baby is ready for solid food?

Once your baby is around 6 months old, you can begin looking for signs that he's ready to try solid food. These include:

- Holding his head up
- Sitting up in a high chair
- Picking up food and trying to put it in his mouth
- Showing when he wants food by opening his mouth wide when you offer food on a spoon

- Closing his lips over the spoon
- Keeping food in his mouth and swallowing it instead of pushing it out
- Showing you that he doesn't want food by turning away, keeping his mouth closed, or pushing the food away

When your baby can do most of these things, he's ready to start solid foods.



## Added info...

Try not to compare your baby to other babies.

Healthy babies come in all weights, shapes, and sizes.

They grow and gain weight at different rates.

Talk to your health care provider if you're not sure if your baby is ready for solid foods or if you're worried because your baby isn't eating solid foods.

## Added info...

Your baby doesn't need to have teeth to be ready to try solid food!

# How to offer your baby solid food for the first time

From the first time you offer your baby smooth, soft food you can also give him soft foods to pick up with his fingers. He won't be able to actually eat much of it, but it will help him learn to feed himself and get used to different textures of food.

When your baby is ready for solid foods, start slowly. At first, offer small amounts of food. Watch for your baby's cues. Your baby will let you know when he is ready to eat more.

#### Added info...

Sitting face-to-face while your baby is eating helps you connect with your baby. Facing your baby allows you to make eye contact and see your baby's cues.

Mealtimes can be a time of learning and love for you and your baby. Talk to your baby about the colours, tastes, and textures of the food she's eating. Relaxed and happy mealtimes will help her to learn to enjoy healthy eating.

Be patient. This is the first time your baby is experiencing solid food. Give him time to learn to move it around in his mouth and swallow it. If your baby doesn't swallow the food, wait a few minutes and try again. If he's still not interested, try again in a few days.

Trust your baby to know how much to eat. Never force food into your baby's mouth.

#### To feed your baby:

- Sit facing your baby.
- Put a few pieces of soft food he can pick up with his fingers on the high chair tray.
- Put a tiny bit of food on the tip of a small spoon. Hold the spoon so your baby can see it. Then put some food on his lips. Put food in his mouth only if he opens it.




Give your baby time to have fun getting used to the new tastes and textures. Over time he might discover that there are foods he likes to eat from a spoon and others he'd rather pick up with his fingers. Let him go at his own pace as he learns about food and eating.

#### Added info...

Before your baby can eat solid food, he has to be able to swallow it.

If your baby doesn't swallow the first food you offer, as a test, try a different food. If he swallows this, it shows two things: that he can swallow and that he just didn't like the first food!

If he doesn't swallow the second food, he may not be ready to swallow solids yet. Wait a day or two and try again.



## How can I tell when my baby is hungry and when she's full?





Even before your baby can talk, she has ways to let you know when she's hungry and when she's had enough to eat.

#### Cues that your baby is hungry:


- Turns toward food.
- Opens her mouth when she sees the food.
- Gets excited when she sees food or when you say things like, "Let's have lunch." or "Time for a snack."


#### Cues that your baby has had enough to eat:

- Turns her head away.
- Doesn't open her mouth.
- Pushes the spoon or food away.

All babies are different. Your baby may have cues of her own to tell you when she's hungry and when she's had enough. Pay attention to your baby's cues.

# Healthy food to offer your baby







The best way to introduce your baby to solid foods is to feed your baby the same healthy foods that your family eats. For example, if your family eats curry, your baby can eat curry.

## Added info...

As you start to offer solid food, keep in mind that your baby is still getting most of her nourishment from breastmilk or formula. Over time, she'll get more nourishment from food and less from breastmilk or formula.



You may want to introduce your baby to smooth foods first. It is important to progress to soft, lumpy and bite-sized foods as soon as your baby can handle them. Watch your own baby and follow his cues. You can use a fork, potato masher, food grater, food processor or blender. By 12 months of age, your baby will be able to eat most food textures.

#### Added info...

You don't need store-bought baby foods. They cost more than the food you prepare at home and are not always the kinds of foods that your family eats. They may not provide the different textures your baby needs.

If you do buy baby food, read the list of ingredients on the label so you'll know what you're feeding your baby. For example, store-bought baby food can be very high in sugar. Check the best before date before you buy or use it.

Your baby will learn to like the kinds of food you offer her. Get her started on a lifetime of healthy eating by offering her healthy foods right from the start.



#### Whole-grain foods

- Smooth, plain cereals with iron. Prepare cereal according to the directions on the package.
- Whole-grain finger foods—like pieces of bagel, dry toast strips, rice, roti, noodles, cooked pasta, flatbreads, cereal, and unsalted crackers.
- Quinoa

#### **Protein foods**

These can be chopped, minced, grated, or cut up. You can purée or mash them in water, breastmilk, or the liquid you cooked them in. If you're formula feeding, you can use formula.

- Beef
- Chicken
- Turkey
- Lamb
- Fish: white fish—like haddock, halibut, sole, and cod—salmon, and canned light tuna
- Pork
- Cooked eggs
- Tofu
- Well-cooked legumes such as beans, lentils, and chickpeas
- Plain yogurt
- Cottage cheese
- Shredded cheese
- Milk (Homogenized until age 2)

#### Vegetables and fruit

Fresh, frozen and low-sodium canned vegetables offer many choices.

- Cook, then mash, purée, chop, mince, grate, or cut up squash, peas, sweet potatoes, green or yellow beans, apples, peaches, pears, apricots, and plums.
- Vegetables should be cooked, but very soft fruits – like bananas – can be served raw.




You'll find more information on healthy eating in *Canada's Food Guide* in the "*Resources*" section of **Loving Care: Parents and Families.** 

## Added info...

If you are planning to feed your baby a vegetarian diet, you need to include a variety of protein foods from *Canada's Food Guide* that work well with your family's vegetarian style. This may include using many plant-based sources of protein such as beans and lentils.

Talk with a registered dietitian about meal planning for your baby so that he gets all of the vitamins and minerals he needs.



## **Iron-rich foods**

When a baby is born, she has enough iron in her body to last about six months. One of the reasons your baby needs to start solid foods at six months is that her supply of iron is running low. Foods that are rich in iron should be the first foods that you offer your baby.

Between 6 and 12 months, offer your baby ironrich foods two or more times a day. Iron-rich foods include:

- Protein foods such as meat (beef, pork and poultry), eggs, beans, chickpeas and lentils
- Whole-grain foods such as iron-fortified cereals and breads





# Finger foods

The first solid foods you offer your baby will be soft, smooth foods from a spoon.

Along with this smooth food, it's important to also offer your baby foods of different textures that he can pick up on his own. This helps him learn about lumpy foods and to bite and munch on food. It also teaches him to feed himself and to know that he is in charge of how much he eats.

Start with small, soft pieces of food. As your baby gets better at eating, you can gradually increase the size of the pieces.





#### Safe finger foods include:

- Pieces of soft-cooked vegetables
- Soft ripe fruit, such as banana
- Finely minced, ground, or mashed cooked meat
- Deboned fish, chicken or turkey
- Grated cheese
- Bread crust or toast

## Added info...

Learning to handle food with different textures now will help your baby be able to eat more kinds of food as he grows.

This is why it's important to offer lumpy foods early – by 9 months at the latest.

# How much will my baby eat?



Your baby may eat very little solid food at first. Don't be surprised if at first your baby just takes a taste or eats less than a teaspoonful. Don't worry if some of the food ends up rubbed in his hair or squished between his fingers.

He'll gradually eat more as he grows.

As your baby starts eating solid foods, his appetite will change from day to day and from meal to meal. Sometimes he'll be hungry and want to eat more. Other times he'll want less.

Your baby's interest in eating will depend on:

- How much fluid he's getting. If your baby gets more breastmilk than usual, he might be less interested in solid foods at his next meal. If you are formula feeding and your baby gets more formula than usual, he'll also be likely to eat less.
- How much he's growing. Babies eat more during growth spurts.
- How he's feeling. Babies may eat less when they're tired, sick, or teething.

- What's going on around him while he's eating. Your baby may be more interested in the noise from other children, TV, toys, or the phone than he is in eating.
- How hungry he is. A baby's appetite can change from meal to meal. For example, some babies like to eat more in the morning and less in the evenings.
- How well he is able to eat. Your baby's ability to swallow, chew, and pick up food develops gradually. As his eating skills improve, he'll begin to eat more.

Watch closely! Your baby's cues may not always be easy to see. It's **not** important that your baby eat a certain amount of food at each meal or snack. What matters most is that **your baby decides for himself** how much he needs to eat.

## Added info...

**Remember**: Until about 12 months, your baby will still be getting most of his nourishment from breastmilk or formula.

# Learning to drink from a cup



One of the skills your baby learns during this time is how to drink from a cup.

## Added info...

#### Sippy cups

Your baby doesn't need a sippy cup. If your baby uses a sippy cup, it will take longer for her to learn the skills she needs to drink from a regular cup. Your baby can learn to drink from a regular cup right from the start.

Don't let your baby carry around a sippy cup. Don't allow her to take it to bed with her. Continually sipping milk or juice can lead to tooth decay. It can also fill your baby up so she won't eat well at mealtimes.

To drink from a cup, your baby has to learn to control the muscles in her mouth. This can take a lot of practice. Learning to drink from a cup is a messy business!

#### To help your baby learn to drink from a cup:

- Start with water while your baby is learning.
- Use an unbreakable cup that doesn't tip over easily.
- Expect lots of spills! You can cover your baby with a waterproof bib.
- Help your baby by holding the cup against her mouth. Encourage your baby to hold the cup with you.

Make sure your baby drinks while sitting at a table. Sit with her. This will help your baby develop a pattern of eating and drinking at regular meal and snack times.

# **Healthy drinks for babies**

When you give your baby a drink with meals and snacks, use a regular cup, not a sippy cup. You will need to help your baby drink from the cup for a while, but he'll learn to drink on his own after a while.

	Healthy Drinks for 6 to 12 Months
Breastmilk	Continue to breastfeed. You'll find more information about breastfeeding in <i>Breastfeeding Basics</i> .  If you are feeding your baby with infant formula, continue following your baby's hunger cues. You'll find information about formula feeding in <i>Infant Formula: What You Need to Know</i> .
Water	You can offer water throughout the day, including during snacks and meals. Water will keep your baby hydrated and quench her thirst. Giving milk or juice between meals can cause cavities.
Other Milk	Between 9 and 12 months, babies can be introduced to whole cow milk. Be sure your baby is eating a variety of iron-rich foods before introducing cow milk.  Before age 2, offer your baby only whole, 3.25% milk. Skim milk, 1% milk and 2% milk will not give your baby the nourishment he needs when used as a main milk source.  Pasteurized, full-fat goat milk with added folic acid and vitamin D can be safely used in place of cow milk.  Soy, almond, rice and coconut milks do not have the same kind of nourishment that whole cow or goat milk does. They cannot be used as a main milk source for your baby.



If you're breastfeeding: If you want, you can offer small amounts of whole cow milk with meals and snacks after your baby is eating a variety of iron-rich foods. At this age, cow milk doesn't replace breastmilk.

If you're using formula: Once your baby is eating a variety of iron-rich foods, you can replace formula with whole cow milk. If your baby is not yet eating iron-rich foods regularly, keep using formula. After 12 months, most babies no longer need formula.

## CAUTION!

Soy milk is not the same as soy-based formula. If you use soy-based formula **do not** switch your baby to soy milk without checking with your health care provider.

#### **Juice**

- Canada's Food Guide recommends water as the best drink for everyone.
- Your baby does not need to drink fruit juice to be healthy. Juice is high in sugar and has less nutrition than the whole fruit the juice was made from.
- Even 100% juice can lead to tooth decay.
- Drinking too much juice can give your baby diarrhea.

## Added info...

In warmer weather, offer your baby water to drink along with vegetables and fruit that contain a lot of water, such as watermelon, cantaloupe, tomatoes and cucumbers. This will help quench her thirst and provide extra nourishment.


## Added info...

It is important to think about the quality of the water that your baby and family drink. Make sure your water is safe. You'll find some information on lead in water on page 114.

If you get your water from a well be sure to have it tested before your baby drinks it. If you are not sure that your water is safe, give your baby bottled water until you get it checked.

For more information on safe well water and to find out how to contact the Nova Scotia Department of Environment see Loving Care:

Parents and Families.



## Added info...

Be sure that any drink you offer your baby—other than breastmilk, formula, and water—is pasteurized.

Look for the word "pasteurized" on the label.

# Sample menus

Offer your baby solid food 2 or 3 times a day as a meal and 1 or 2 times as a snack.

It helps to plan meals and snacks for about the same time each day. As your baby gets more and more of his nourishment from solid foods, he needs to be able to depend on eating at regular times.

## Added info...

Remember: Offer your baby whole cow or goat milk only after your baby is eating a variety of iron-rich foods.



Continue to breastfeed or to offer breastmilk with every meal and snack. To help your baby learn to drink from a cup, you can give breastmilk in a cup. You can offer breastmilk before or after solid food. If you want to, between 9 and 12 months you can begin offering whole cow or goat milk.

If you are using formula, offer it to your baby as usual. She'll still be getting most of her nourishment from formula, so she'll need a bottle for a while. To help your baby learn to drink from a cup, you can give formula in a cup. Over time, she'll drink more and more from a cup and by 18 months, you can give all fluids in a cup. You can offer formula before or after solid food. Starting at 9 months, gradually replace formula with whole cow or goat milk.

#### The sample menu is only a guide.

Different times and different foods may work better for your baby and family.

Sample Menu				
	From 6 to 8 months	From 9 to 12 months		
Early morning	Breastfeeding (Formula)	Breastfeeding (Formula, gradually replacing formula with whole cow or goat milk.)		
Breakfast	Breastfeeding (Formula) Iron-fortified cereal Mashed strawberries or other soft fruit	Breastfeeding  (Formula, gradually replacing formula with whole cow or goat milk.)  Iron-fortified cereal  Chopped strawberries, kiwis or other soft fruit  OR  Iron-fortified cereal  Applesauce		
Snack	Breastfeeding (Formula)  Whole grain toast, cut into small pieces or strips	Breastfeeding  (Formula, gradually replacing formula with whole cow or goat milk.)  Whole grain and fruit muffin Grated cooked carrot		
Lunch	Breastfeeding (Formula)  Iron-fortified cereal Hard-boiled egg, mashed, minced, or grated Cooked and mashed sweet potato or other vegetable	Breastfeeding  (Formula, gradually replacing formula with whole cow or goat milk.)  Chicken, chopped Steamed brown rice Cooked broccoli, chopped  Canned salmon, mashed Sweet potato, mashed Green peas, cooked soft and mashed  Roast turkey leg, chopped Whole grain bread, cut into strips Squash, mashed Canned peaches, chopped		

	Sample Menu				
	From 6 to 8 months	From 9 to 12 months			
Snack	Breastfeeding (Formula)  Unsweetened prunes, puréed	Breastfeeding  (Formula, gradually replacing formula with whole cow or goat milk.)  Cheddar cheese, shredded Whole wheat pita, cut into small strips  R Hard-boiled egg, chopped Whole grain bread, cut into strips  R Soft tofu, mashed Berries Unsalted crackers			
Dinner	Breastfeeding (Formula)  Ground or finely minced plain, dark-meat chicken or other meat Cooked and mashed broccoli or other vegetable	Breastfeeding  (Formula, gradually replacing formula with whole cow or goat milk.)  Lean pork roast, chopped  Whole wheat pasta  Cooked carrots, mashed  Banana and strawberries, chopped  Mixed dish: ground beef, cooked with diced tomatoes and macaroni  Unsweetened stewed prunes, puréed  OR  Trout or char, deboned and flaked  Steamed brown rice  Cooked green peppers, chopped  Canned peaches, chopped			
Evening and Nighttime	Breastfeeding (Formula)	Breastfeeding (Formula, gradually replacing formula with whole cow or goat milk.)			

## Foods and drinks to avoid

Some foods are not healthy for babies. Many families enjoy these kinds of foods once in a while or on special occasions. But your baby is still too young for them.

There are several reasons not to give these kinds of foods to your baby:

- They won't give him the nourishment he needs to grow and develop.
- If your baby gets sweet and salty foods now, he may learn to like them and to prefer them to healthier foods. These foods can lead to health and dental problems.



Honey is not safe for babies under 12 months. See page 89 for more information.

#### Do not give your baby...

## **Foods with lots of sugar**

#### For example:

- Candy and chocolate
- Ice cream and frozen desserts
- Sweet desserts
- Cakes, cookies, pastry, granola bars, donuts, store-bought muffins
- Sweetened gelatin
- Pop, freezie/slushie type drinks, fruit-flavoured drinks
- Sugar coated cereals
- Jams and jellies

## Do not give your baby...

#### Sugary drinks, or drinks with artificial sweeteners, caffeine, or alcohol

#### For example:

- Pop, diet pop
- Fruit juice, fruit drinks, fruit punch, fruit beverages, lemonade, freezie/slushie type drinks, fruit-flavoured drinks
- Sweetened plant-based beverages
- Flavoured waters with added sugars

- Sweetened milks like chocolate milk
- Sports and energy drinks
- Coffee, tea, herbal tea, iced tea, iced coffee, hot chocolate or other specialty drinks
- Alcohol of any kind

## Do not give your baby...

#### Foods with lots of salt

#### For example:

- Pickles and olives
- Processed meats—like hot dogs, bologna, salami
- Ketchup, gravies and sauces
- Chips, nachos, cheese puffs, pretzels, French fries
- Dry or canned soups (Look for soups labeled "low sodium.")
- Canned pasta

## Added info...

Your baby needs healthy fats to grow and develop. Healthy fats include:

- Soft, non-hydrogenated margarine
- Nut or seed butters
- Vegetable oil
- Fatty fish, like salmon
- Avocado



**Canada's Food Guide** is a good place to find information about healthy food choices.

It also contains information about how to read the Nutrition Facts Table on food labels.

You'll find information in the back of of **Loving Care: Parents and Families.** 

Keep in mind that you need to set an example of healthy eating by eating healthy foods most of the time.



# Expect a mess!

Squeezing, splashing, rubbing, and feeling food are part of learning to enjoy eating!

Let your baby explore her food with her hands.

Let your baby feed herself with her fingers from the first time you offer solid foods. Let her help you to move the spoon toward her mouth and help to hold the cup while she drinks. Help her learn to hold a spoon on her own when she is able.

Learning to feed herself is an important part of a baby's development. It builds her muscle skills and her confidence too!

It takes time for babies to develop the muscle control they need to feed themselves neatly. Cleaning up the mess may not be much fun, but it's important for you to be patient while your baby learns these skills.

## Added info...

If you are concerned about wasting food, offer your baby only a small amount of food at a time. You can always offer more if she wants it.



# Gagging and choking



All babies gag and spit out food while they are learning to swallow. They may also gag when they first try lumpier or thicker foods. Gagging is a normal response that helps protect babies from choking. Gagging doesn't mean that the baby doesn't like the food. As they get better at eating solid food, babies gag less.

## **CAUTION!**

Someone should always be with your baby while he's eating or drinking.

Choking is much more serious than gagging. Babies choke when they get food stuck in their windpipe and can't breathe.

Learn what to do if your baby chokes. You can find contact information for First Aid classes in Loving Care: Parents and Families. Keep emergency phone numbers posted by the phone.

#### **CAUTION!**

Don't put cereal or other food in a bottle. This can cause choking and it won't help your baby sleep through the night.

#### To prevent choking:

- Be sure your baby is sitting up straight while eating.
- Pay attention to what your baby is able to chew and swallow. Be careful that the food you give your baby has a texture that she can handle.
- Help your baby pay attention while eating. Avoid distractions like TV, toys, and noise from other children during meals.

Foods that can cause choking	How to make these foods safer
Smooth, sticky foods like peanut butter and nut butters	<ul> <li>Spread them thinly on whole grain breads or crackers.</li> <li>Don't give blobs or spoonfuls of these foods.</li> </ul>
Hard foods like some raw vegetables and fruit	<ul><li>Cook hard foods to soften them.</li><li>Grate them into small pieces.</li></ul>
Small, round foods like grapes and cherries	<ul><li>Cut each one into 4 small sections.</li><li>Remove seeds or pits.</li></ul>
Tube-shaped foods like cooked baby carrots	<ul><li>Cut them lengthwise into strips.</li><li>Cut the strips into small pieces.</li></ul>
Stringy or chewy foods like meat, long thin pasta, melted cheese and fresh pineapple	Cut these foods into small pieces.

#### **CAUTION!**

#### These foods can cause choking. They are NEVER safe for babies:

- Nuts, seeds, popcorn
- Hard candies, cough drops, gumHot dogs
- Marshmallows
- Whole grapes

- Carrots cut into rounds
- Fish with bones
- Snacks using toothpicks or skewers

# Feed your baby safely



Sit facing your baby while she's eating. Never leave her to eat alone. Be there to help as your baby learns to feed herself.

## **CAUTION!**

Honey is not safe for babies under 1 year. Do not give your baby honey, or any kind of food made with honey, for the first year. This includes baked and cooked foods that contain honey. Don't put honey on a soother.

Honey can cause infant botulism, a kind of food poisoning that only affects babies. After 12 months, your baby will be developed enough to eat honey safely.

#### No hot foods

Your baby's food can be cold, room temperature, or warm—never hot. If you warm your baby's food, stir it well to make sure there are no hot spots.

#### Safe seats

To protect your baby from choking, be sure she's sitting up straight while eating.

The safest place for your baby while eating is sitting up in a high chair. Do up the seat belt to help keep your baby safe.

## **Food safety**

Food safety is important. Food poisoning can make anyone sick. But it can make babies and small children **very** sick. You can't see, smell or taste the bacteria that cause food poisoning.

One way that your baby could be exposed to the germs that cause food poisoning is if you feed him from a jar or container and then put the leftover food back in the fridge to finish later. This is because the spoon carries germs from your baby's mouth into the food. These germs can then grow in the food and make your baby sick the next time you use the food.

When feeding your baby with a spoon, take the amount of food you'll be using out of the container and put it into a bowl. After your baby is finished eating, throw away any food left in the bowl.

For more information on how to keep things clean, and how to handle, cook and store food carefully, see the "Families" section of Loving Care: Parents and Families.





# **Food allergies**



Food allergies are not as common as you might think. Few babies have food allergies in their first year of life. Even fewer have food allergies as they get older. If your baby is allergic to a food, he'll likely have a reaction soon after eating it.

You may also have heard that to prevent allergies you should wait until your baby is a certain age to introduce a particular food—like peanut butter. Research has shown that this is not necessary either. If your baby is allergic to a food, he'll be allergic no matter when you introduce it.

Continue to introduce your baby to a wide variety of family foods. Talk to a health care provider to get extra guidance on how to introduce foods to your baby if you feel he might be at high risk for developing food allergies. An example of high risk would be if severe food allergies are common in your family.

#### **CAUTION**

Call 911 if your baby has a severe allergic reaction. You need help quickly.

Signs of a severe allergic reaction are:

- Hard time breathing
- Can't swallow
- Mouth, tongue or throat swell up

## Added info...

Some signs of allergy are:

- Rash or hives
- Pain in the stomach
- Vomiting
- Diarrhea
- Watery or swollen eyes

Talk to your health care provider if your baby has any of these symptoms. They may be caused by a food allergy. However, there could be other reasons for the symptoms that have nothing to do with food.



You'll find information on some things to do when looking for medical care in the "Welcome" section of Loving Care: Parents and Families.

# Eating together is important



Mealtimes are a time when families can connect with one another. Talking and spending this time together makes the bonds between you stronger.

Even when your baby is small, bring him to the table with everyone else. He'll learn to enjoy eating and enjoy this time together. As he gets older, he'll be used to eating and talking with everyone.

Try to make mealtime a happy time for everyone. Turn off the TV and put toys away so you all can focus on eating and spending time together.

Eating together as a family when your baby starts eating solid food sets a good example for future eating habits.

## Added info...

Families come in many different shapes and sizes.


When we say "family" we mean people who care about one another. They may or may not live together, but they are important in each other's lives.

Your family can be you and your baby or can include whoever you want it to.



You can find more information about eating well as a family in the "Families" section of Loving Care: Parents and Families.





Hand washing	94
Immunizations	95
Flu vaccine	96
Questions that your health care provider may ask	97
When to see a health care provider	98
Common concerns	99
Giving medicine	99
Dehydration	99
Dental health	100
Three steps to preventing cavities	100
Teething	103
Thumb sucking and soothers	103
A smoke-free home and car	104

# Added info...

If your language or culture is different from your health care provider's, a cultural health interpreter may be able to help you.

Ask your health care provider if cultural health interpreters are available in your community. If they are, a health care provider can help you contact one.

# Hand washing

Washing your hands with soap and water is one of the best and easiest things you can do to keep your baby—and your whole family—healthy. When you don't have access to water and soap, use hand sanitizer.

#### Everyone should wash their hands:

- Before eating and before feeding the baby
- Before cooking or preparing food
- Before cleaning your baby's mouth or teeth
- After changing a diaper
- After using the toilet
- After handling anything dirty
- After petting an animal
- After wiping their nose—or anyone else's nose—or sneezing or coughing into their hand

## Added info...

When guests come into your home, have them wash their hands before they hold your baby. This includes grandparents and other family members.



## Added info...

Wash your baby's hands, too. It's never too soon for your baby to get used to hand washing.

## **Immunizations**

Immunizations protect your baby from serious illnesses. Your baby's vaccines are an important part of keeping him healthy.


Your baby should have had vaccines at 2 and 4 months.

He should get his next vaccines at 6 months. These protect him from diphtheria, whooping cough, tetanus, polio, rotavirus and haemophilus influenzae type b.

At 12 months or soon after, your baby should get vaccines to protect him from measles, mumps and rubella, chickenpox, meningitis, pneumonia and some ear infections. It's important that your baby not get these vaccines too early. If he gets them **before** his first birthday, they might not work.

If you miss any of these vaccines, contact your health care provider to arrange for your baby to catch up. You can also contact your local Public Health Services office to find out where you can take your baby to get caught up on her immunizations.

You'll find the complete childhood immunization schedule on the Department of Health and Wellness website (contact information is in Loving Care: Parents and Families).



## Added info...

Most vaccines are given with a needle. This can be scary and painful for children.

Putting off or stopping your child's needles because you don't want her to feel pain can mean she will not get protection from some serious diseases.

For more information on ways to reduce your child's pain during vaccinations, please call your local Public Health Services office. (contact information, page 120).

## Added info...

It's your responsibility to keep a record of your baby's vaccines. This is your only record of your child's immunizations. Your child will need this record for child care and school. You can use the yellow **Personal Immunization Record** card. This card also has a chart with all the vaccines your child will need up to age 6.

If you don't have one, you can get one from your local Public Health Services office (contact information, page 120).

## Flu vaccine



The flu—also called influenza—is an infection caused by a virus. It affects the nose, throat and lungs, and can cause fever, tiredness, aches and pains. Flu can make your baby very sick, very quickly.

Flu vaccine is a safe and effective way to reduce the risk that your baby will get this illness. If your baby does get the flu, it will be much less serious if she's had flu vaccine.

When your baby gets flu vaccine for the first time, she'll need 2 doses. These are given at least 4 weeks apart.

In Nova Scotia, flu vaccine is **free of charge**. Getting the flu vaccine yourself will help protect your baby. It's also a good idea for anyone who lives with or cares for your baby to get the flu vaccine.

The best time to get the flu vaccine is between mid-October and December. Flu vaccine protects for only 6 months, so you need to be vaccinated every year. You can get the flu vaccine from:

- Your health care provider
- Public Health Services
- Community clinics

## Added info...

Remember to take your baby's yellow **Personal Immunization Record** card when you go for flu vaccine.

## Added info...

You can find out more about flu and the flu vaccine from your health care provider or local Public Health Services office (contact information, page 120).

# Questions that your health care provider may ask

When your baby is sick, your health care provider will ask questions about your baby's illness when you call or visit. Before you talk to the health care provider, think about what's wrong and why you think your baby is sick. This will help you to explain your concerns clearly.

The health care provider will ask about how your baby is feeling and what she's been doing:

- Fever? How high? How long has she had it?
- Chills or shaking?
- Throwing up? How often? What does it look like?
- Diarrhea? How often? How much? What does it look like?
- Cough or runny nose? Is she having trouble breathing?
- Not feeding? Has she lost weight?
- Hard, dry poop? When was her last poop?
- Does she have a rash?
- Is your baby acting differently than usual?
   Is she very sleepy or fussy?
- Have you given your baby any medicine?
- Has your baby been around someone who's recently been sick?

Write down your baby's symptoms as you notice them. If you can, write down the time you noticed them. Write down anything you think you might forget to tell the health care provider.

When you visit or talk to the health care provider, make sure you understand everything she tells you to do. If you're not sure, ask her to explain.

## Added info...

All of us are entitled to health care that responds to our individual needs and allows us to feel safe and respected.

Talk to your health care provider about what you want and need for yourself and your baby. Help your health care provider to offer care that respects your race, culture, religion, sexual orientation, and ability.

#### Added info...

If you are looking for a doctor who is taking new patients, check the Department of Health and Wellness website for "Doctors accepting new patients". (Contact information is in Loving Care: Parents and Families.)

## Added info...

Nova Scotia has a Family Pharmacare Program to help with the cost of prescription drugs.

Some families are also eligible for a pharmacare program for low-income children (Contact information for both programs is in Loving Care: Parents and Families.)

# When to see a health care provider


Trust your instincts. You know your baby best. If you are concerned about any change in your baby—either physical or in the way he behaves—see your health care provider or call 811. Don't worry about taking your baby to your health care provider too often.

Talk with a health care provider if your baby has any of these symptoms:

- Fever over 38.5°C (101°F)
- A hard time breathing
- Sleepy all the time. You have a hard time waking him up.
- Fewer wet diapers than usual or dark yellow, smelly pee
- Cries a lot more than usual or sounds different when crying
- No interest in eating or drinking
- Keeps rubbing or pulling on his ear
- Poop is different from usual—it could be very runny or liquid, or very hard and dry
- A cough that lasts for several days
- Diaper rash that is red and peeling or has sores in it
- Not alert or smiling at you
- Not interested in playing



You'll find information on some things to do when looking for medical care in the "Welcome" section of Loving Care: Parents and Families.



## Added info...

Use a plastic digital thermometer when you take your baby's temperature.

Put the thermometer in your baby's armpit. Keep the thermometer in place by gently pressing your baby's elbow against his side.

Wait 2 minutes or until you hear the beep. Check the temperature.

## **Common concerns**

#### Giving medicine

Check with your health care provider or pharmacist **before** you give your child any kind of medicine. This includes over-the-counter medicines like acetaminophen.

When giving your baby medicine, be careful to keep track of the amount you give. It's easy to give too much. To be safe:

- Have only one person give the medicine.
- Write down when you give the medicine.
- Write down how much you give.

If you are worried that your child has had too much medicine, contact your health care provider or the IWK Regional Poison Centre (contact information is in Loving Care: Parents and Families).

## CAUTION!

It's **NEVER** safe to give your baby cough syrup.

## Added info...

#### Eye exams

Soon after birth, a health care provider checked your baby's eyes. If that test showed that your baby had a problem, she would have been sent to an eye doctor for follow-up tests.

Once your child goes to school, you can expect to be asked to give your consent for your child's eyes to be screened for problems which may show up after the age of 3.

If you are concerned about your child's eyes, especially if you have a family history of eye problems, ask your health care provider if he or she thinks that you should take her to an eye doctor.

#### **Dehydration**

Dehydration means the loss of body fluids. It can happen very quickly when a baby has diarrhea or is vomiting.

#### Some signs of dehydration are:

- Not peeing—less than 4 wet diapers in a day or more than 8 hours without peeing
- Drowsiness
- Weakness
- Dry mouth and lips
- Thirstiness
- No tears when crying
- Sunken eyes

**Dehydration is serious.** See a health care provider right away if you think your baby is dehydrated.



You'll find information on some things to do when looking for medical care in the "Welcome" section of Loving Care: Parents and Families.

## Added info...

Some racial or ethnic groups have health issues that are of particular concern to their community. Talk with your health care provider if you are concerned about a health issue of this kind.

## **Dental health**

Healthy baby teeth are important for your baby's overall health. Pain and infection from tooth decay can make it hard for your baby to sleep, chew, and grow normally. They make it difficult for your baby to concentrate and learn. Baby teeth also help to shape your child's face and guide adult teeth into place.

Make cleaning your baby's mouth and teeth fun! Sing a song. Make up stories about cleaning away the germs.

Baby teeth are worth taking care of! Start early to keep your baby cavity free for life.




#### Keep your baby's teeth and mouth clean.

For children under age 3, the Canadian Dental Association says that unless there is a risk for tooth decay, you should use plain water to brush your baby's teeth.

#### After the first tooth comes in:

 If your baby IS NOT at risk for tooth decay, brush your child's teeth and gums with a child-sized toothbrush and water.

If your baby IS at risk for tooth decay, brush your baby's teeth and gums with a child-sized toothbrush and a small smear of toothpaste with fluoride—about the size of a grain of rice. You use this tiny amount because small children tend to swallow toothpaste while brushing.



## **CAUTION!**

Keep toothpaste out of children's reach.

## Added info...

#### Risk factors for tooth decay

Your baby could be at risk for tooth decay if:

- Your water supply is not fluoridated.
- Your baby has white or brown spots on his front teeth.
- Your baby eats or drinks anything high in sugar.
- Your baby's teeth are brushed less than once a day.
- Your baby has visible plaque on his teeth.
   Plaque looks like white or yellow deposits on the teeth.
- Your baby was premature.
- Your baby has health or behaviour issues that make it difficult for you to brush his teeth.
- You or other caregivers have tooth decay.

If your baby has one of these risk factors, talk with a health care provider.

- Brush your baby's teeth every morning and every evening before bed. When you brush, sit or lay your baby in a safe position. You need to support your baby's head so you can see his teeth clearly. Your hands should be clean and free to open his mouth and do the brushing.
- Lift the lip to check your baby's teeth for cavities. Look at the front and back teeth.
   If you notice brown or white spots on your toddler's teeth, call a dentist right away.
   This may be the first sign of decay.





### Don't let food or drink stay on your baby's teeth.

- Never prop a bottle or a sippy cup. Never put your baby or toddler to bed with a bottle or a sippy cup. Juice (even 100% juice), milk, and formula all contain sugar. They can cause tooth decay when left on the teeth too long.
- Never allow your baby to sip all day on drinks other than water. If he sips all day on any drink that contains sugar—even milk and 100% juice—it increases the risk of tooth decay. Offer your baby milk or water at mealtime. Offer tap water to drink between meals. Have your baby sit in a high chair or at a small table for snacks and drinks.



Healthy snacks are important for healthy teeth. Avoid sweet, sticky snacks.

Dried fruits and fruit leathers are healthy foods but they stick to the teeth and can cause cavities. If your children eat these foods, brush their teeth right away.

For more information about healthy eating, see the "Food" section of this book, page 61.

Health 101



### See a dentist regularly.

- Take your baby for his first dental check-up by his first birthday. The dentist or dental hygienist will check your child's risk for cavities and answer your questions. If you don't have a dentist, ask your friends and family for suggestions or check the yellow pages.
- Take your baby to a dentist if you see any white or brown spots on his teeth, or if he injures a tooth.

# If you are concerned about the cost of dental care...

MSI covers basic dental care for children, starting from birth. Check with your dental office to find out which services are covered for your child.

For children covered by a co-pay dental plan, MSI will pay the portion that you would normally pay for these basic dental services and treatments.

You'll find contact information for the MSI Children's Oral Health Program in Loving Care: Parents and Families or you can talk to your dentist.

# Added info...

### What causes cavities?

Sugar in food and drinks plus plaque in the mouth can lead to tooth decay.

Plaque is a thin, hard-to-see layer of germs that covers the teeth and gums. These germs use the sugars in food and drink to make acid. This acid eats away the hard outer layer of the teeth—called enamel—and causes tooth decay.

The longer food and sugary drinks stay on the teeth, the greater the risk of tooth decay.

Germs that cause cavities can pass from your mouth to your baby. To protect your baby, take care of your own dental health.

Keep your own teeth and mouth clean. You will set a good example for your baby and there will be fewer cavity-causing germs in your mouth to pass along.





102 Health

# **Teething**

Teething is a natural process during which your baby's teeth push through the gums.

Most babies' first teeth start to come in at around 6 months. Some start teething a little earlier, some a little later. Most babies get the two middle teeth on the top and the two middle teeth on the bottom first. But all babies are different and some may get teeth in a different order.

Teething can make your baby restless and fussy. To help her feel better:

- Give your baby a clean, cold facecloth to suck or chew.
- Give your baby a teething ring. Teething rings should be cold but not frozen. Wash them often. Use warm, soapy water and rinse well before giving them to your baby.
- Massage your baby's gums using a clean finger.
- Don't use teething biscuits. Teething biscuits are high in sugar and may cause cavities.
- Don't use teething gels. They can affect your baby's health or cause choking by making the throat numb.

Fever or diarrhea is **not** a normal part of teething. If your baby has a fever or diarrhea for more than 24 hours, call your health care provider. If your baby continues to be restless or fussy, check with your dentist or health care provider.

# **CAUTION!**

Check with your dentist, health care provider, or pharmacist if you think your baby might need medicine for teething pain. Ask which kind to use and how much is best for your baby.

# Thumb sucking and soothers

Thumb sucking and using soothers are not likely to cause problems as long as your child stops by the time his permanent teeth start to come in at about age 5.

### If you give your baby a soother:

- Don't dip a soother in anything, especially honey.
- Make sure it can't come apart.
- Keep it clean. Use warm soapy water and rinse it well before giving it to your baby.
- Get a new one when it becomes sticky or has cracks or tears.
- Don't put a soother on a string around baby's neck. Strings can choke.
- Don't pin soothers to clothes. Pins can hurt or be swallowed.

If you are concerned about thumb sucking or soothers, talk to your dentist or health care provider, or contact your local Public Health Services office (contact information, page 120).

# **CAUTION!**

It's not safe to put honey on a soother.

Honey can cause infant botulism, a kind of food poisoning that only affects babies. Honey is also a kind of sugar. Putting any kind of sugar on a soother can cause serious tooth decay.

Health 103

# A smoke-free home and car

One of the best things you can do for your baby's health is to give him a smoke-free home and car.

There is no level of tobacco smoke that is safe for your baby. Tobacco smoke hurts children in several ways.

- Second-hand smoke is smoke that children breathe in. It's smoke that you can see in the air. Second-hand smoke is even more dangerous for babies than for adults. Babies have smaller lungs and they breathe more quickly. This means they breathe in more smoke.
- Third-hand smoke is smoke that babies pick up through their skin and mouths. The poisons in tobacco smoke stick to everything they touch—for example, toys, clothes, sheets, towels, carpets, furniture, and dishes. Babies are exposed to third-hand smoke just by living in a house where people smoke. They crawl on floors, climb on furniture, play with—or chew on—toys, and touch clothes, sheets, and towels that are all covered with third-hand smoke. These poisons stay around for a long time. When someone smokes in a house or car, the third-hand smoke they leave behind can affect children months later.

There is a link between children who live with tobacco smoke and several serious illnesses. These include:

- Sudden Infant Death Syndrome (SIDS)
- Childhood cancer
- Leukemia
- Brain cancer
- Ear and lung infections
- Asthma

In Nova Scotia, it is illegal to smoke in a car with children present. Second- and third-hand smoke in cars is even more dangerous than smoke indoors. The smoke in a car builds up quickly, even with the window down. Smoking in the small space inside a car is 23 times more toxic than smoking in a home. Even if you only smoke in your car when your child isn't present, he will be exposed to the third-hand smoke on the car seats and upholstery.

Your baby can't control the amount of second- and third-hand smoke he's exposed to. Only you can do that. Air exchangers and open windows will not protect your baby. The only way to protect your baby is to make sure no one smokes in your home or your car.

Ask others who care about your baby not to smoke in their home when your baby is there. Remind them that it's illegal to smoke in their car when a child is present.




You'll find more information on stopping smoking in the "Parents" section of Loving Care: Parents and Families.

You can also contact Tobacco Free Nova Scotia. (Contact information is in **Loving** 

**Care: Parents and Families.)** 

LO4 Health



Babyproof early	108
Babyproofing checklist	109
Lead poisoning	114
Car safety	115
Bath safety	116



My baby is growing fast! She's moving around more every day. What can I do to keep her safe while she explores?

# **Babyproof early**

Being alert to all the new skills your baby is learning is the best way to keep her safe. Your baby is interested in everything she sees. She needs to explore her world and her new skills help her to do it.

Your baby can move faster and reach higher than you might think. Now is the time to babyproof your home and think about preventing injuries as your baby begins to grow into an active toddler.

Babyproofing means making your home a clean and safe place for your baby to explore.

The best place to start babyproofing is on your hands and knees. Pretend to be a baby and crawl around your home. Look at everything from your baby's point of view.

In this section you'll find a checklist to help you find and fix the things in your home that could hurt your baby. Check every room in your home for dangers. And check often. You need to keep one step ahead of your baby's developing skills.

Your baby depends on you to make her world safe.



You'll find information about sun safety, avoiding insect bites, and pet safety in the "Families" section of Loving Care: Parents and Families.



You'll find more information about your baby's growth and development on pages 10–23 in this book.

# CAUTION!

Your baby is always safest when someone is watching her. It only takes a second for a baby to get hurt.

Keep a close watch on your baby when visiting other people's homes. Their homes may not be babyproof.

LO8 Safety

# **Babyproofing Checklist**

In Canada, more children die or go to the hospital because of injuries than for any other reason.

Nine out of 10 injuries in the home can be prevented.

Babyproofing your home, keeping a close watch on your baby, and using the right car seat can prevent many injuries.

Check every room in your home. Check often.

### **Falling**

LOOK FOR: Things that could cause a fall

	Put gates at the top and bottom of stairs.  Make sure that the gates at the top of the stairs are screwed into the wall. Never use a pressure gate at the top of the stairs.  Be sure your high chair, wagon, swing, and stroller have safety straps. Fasten the safety strap whenever your baby uses them. Never leave your baby alone in a highchair, wagon, swing, or stroller.  Make sure that there is nothing near windows or balcony rails that your baby could climb on—for example, no furniture or flowerpots.		Put the crib mattress at its lowest level so your baby can't climb or fall out.  Keep drawers closed so your baby can't climb them.  Clean up spills and puddles quickly. Babies can slip and fall.  Use a non-slip mat in the bathtub.  Use a non-slip mat on the bathroom floor.
	Put window guards on windows above the ground floor. Or fix the windows so they can't open more than 10 cm (4 in.). Screens in windows are not enough to keep your baby safe.		er use a baby walker with wheels.
0	Look for sharp edges on furniture. Tape foam over the edges or remove the furniture from the room.	walk	
0	Keep large toys and stuffed animals out of cribs and playpens. Your baby could climb up on them and fall out.	sold	are so dangerous that they can't be in stores in Canada anymore.  u have one, throw it away. If you see

Safety 10

one, don't buy it.

Pulling down	LOOK FOR: Things your baby could pull down on himself					
Check for dangling cord appliances. If your baby cord, he can pull down hair dryer, or toaster. To wall or keep them out or	can reach the and other heavy furniture are attached to something so your baby can't pull them over onto himself. For example, some					
Remove tablecloths and	placemats.					

# Burning or scalding **LOOK FOR:** Things that could burn or scald your baby Make sure the water from your taps is not hotter than 49°C (120°F). You can put a scald protector on the bathtub faucet. This shuts off the water if it becomes too hot. You can find out how to adjust your water temperature by contacting Child Safety Link or Safe Kids Canada (contact information is in Loving Care: Parents and Families). Cooked or heated food for baby can be cold, room temperature, or warm—not hot. If you warm your baby's food, stir it well to be sure there are no hot spots. Turn pot handles toward the back of the stove when cooking. Use the back burners whenever you can. Be sure that there is a working smoke detector on every floor of your home. Cover all electrical outlets with plastic outlet covers that fit tightly and are very difficult to remove. Keep your baby away from all heat sources.

## Keep your baby in a safe place where you can see him while you are busy in the kitchen—for example in a high chair or playpen. Keep hot foods and liquids out of reach.

Don't carry hot liquids while you're holding your baby. Use a travel mug with a tight lid for hot drinks even when you're at home.

# **CAUTION!**

Your baby's skin is thin and very sensitive. It burns very quickly and easily.

Babies under 1 year should not be in direct sunlight. You'll find information on fire safety, sun safety and preventing sunburn in the "Families" section of Loving Care: Parents and Families.



You'll find information about fire safety in the "Families" section of Loving Care: Parents and Families.

Safety

space heaters, and radiators.

This includes: wood stoves, fireplaces,

# Use a toy box without a lid. If your toy box has a lid that you can't remove, make sure it has large air holes so that if your baby gets trapped inside, he can still breathe. Keep plastic bags out of reach. Tie a knot in the middle of the bag so your baby can't put it over her head.

# Choking

### LOOK FOR: Things that could choke your baby

0

- Keep cords from curtains and blinds up high, out of your baby's reach. Attach a cleat to the wall and wrap the cord round it. Or use a clip clothespin, or twist tie to wrap them up out of reach. If your cord has a loop at the bottom, cut it open and knot the ends of the two cords. Be sure there are no cords within reach of your baby's crib.
- Make sure there are no long strings, belts or ties on your baby's clothing. For example, remove strings from hoods. Soothers should not be attached to your baby's clothes with long strings or cords.
- Check all toys for small pieces that might come off. Check for broken toys and remove them.
- Store all small objects out of your baby's reach. This includes things like coins, buttons, small batteries, keys, and earrings. Store purses and backpacks out of reach. There are lots of things in a purse or backpack that your baby could choke on. Remember: anything your baby can pick up will go in his mouth.

- Keep latex balloons out of reach.

  Balloons and pieces of popped balloons can choke your baby.

  Don't let your baby put balloons or balloon pieces in his mouth.
- Store older children's toys where your baby can't get at them. Teach your other children to keep small toys away from the baby.
- Remove all mobiles and hanging toys from the crib as soon as your baby can sit up.

# **CAUTION!**

When your baby starts to eat solid food, make sure that it is mashed, grated, or chopped so there are no pieces big enough for her to choke on.

Don't give your baby blobs or spoonfuls of thick, sticky foods—like peanut butter.

Babies should never have nuts, popcorn, hard candy, or gum.

You'll find information on feeding your baby on pages 62–91.

# Poisoning

### LOOK FOR: Things that could poison your baby

- Keep dangerous products out of sight and up high. Put childproof latches or locks on any cupboard your child could reach. Store purses and backpacks out of reach. Things that can poison your baby include:
  - Drugs—medicine, vitamins, legal and illegal drugs of any kind
  - Alcohol—beer, wine, any kind of alcohol
  - Baby oil
  - Cigarettes and cigarette butts
  - Cosmetics and personal care products—like perfume, shampoo, aftershave, and nail polish remover
  - Cleaning products
  - Bug or weed killer
  - Paint and paint thinner
  - Gasoline and antifreeze

- Keep plants out of your baby's reach. Some are poisonous. You can find more information about poisonous plants by contacting the IWK Regional Poison Centre (contact information is in Loving Care: Parents and Families).
- Keep anything that could poison your child in its original container.
  This way you will always know what it is and won't confuse it with another product.

# Added info...

Keep the number of the IWK Regional Poison Centre near all your phones and in your cell phone: 1-800-565-8161 (Toll free).

In an emergency, call 911.

# Baby furniture

LOOK FOR: Baby furniture that could hurt your baby

Be sure all baby furniture is clean, sturdy, and meets safety standards. Cribs, playpens, and strollers should be CSA approved. They should have a label that says who made it and when it was made. The label should also give a model number.

Cribs must be made after 1986.

Strollers must be made after 1985.

Playpens must be made after 1976.

# LOOK FOR: Toys that could hurt your baby

Check your baby's toys to be sure they are safe for his age.

Check toys often to be sure there are no loose or broken parts.

Make sure your baby's toys are too big to swallow or choke on. Anything that can fit through a toilet paper roll is too small for your baby to play with.

Be sure that toys have no strings or cords that are long enough to wrap around your baby's neck.

Be sure that toys are not so loud that they could damage your baby's hearing. If a toy is loud enough that you have to raise your voice above the noise, it's too loud for your baby.

# Added info...

You can find information about toys that have been recalled from Consumer Product Safety or from Family Resource Centres. (Contact information for both is in Loving Care: Parents and Families.)

# Added info...

Noisy toys can hurt your baby's hearing.

To avoid damage to your baby's hearing:

- Reduce the amount of time they spend playing with noisy toys.
- Keep a close eye on your baby while he plays with noisy toys.
- Cover the speaker with tape to block some of the sound.
- Don't put batteries in the toy.
- If there are volume controls, turn them to low.

Your baby doesn't need noisy toys.
There are lots of other things he'll enjoy, like books, blocks, and puzzles.



# Lead poisoning

# Lead-based paint

Lead-based paint is a serious health hazard. Lead poisoning can cause anemia. It can also damage the brain and nervous system, resulting in learning disabilities.

Lead-based paint is especially dangerous:

- When it is chipping or flaking
- When it is in a place that babies can reach or chew on

If your home was built before 1960 it is likely that it has lead-based paint.

If your home was built after 1980, paints used indoors would be lead free, but there may be lead in the paint used on the outside.

If your home was built after 1992, both indoor and outdoor paints will be lead free.

If you think there is lead-based paint in your home, contact the IWK Regional Poison Centre for advice on what to do (contact information is in Loving Care: Parents and Families).

For more information on lead-based paints, contact Health Canada (contact information is in Loving Care: Parents and Families).

# Lead in toys

Canada has laws that regulate the amount of lead in children's toys. You can check with Consumer Product Safety to find out about any toys that have been recalled because of high levels of lead (contact information is in Loving Care: Parents and Families). Family Resource Centres also often have information about product recalls (contact information is in Loving Care: Parents and Families).

### Lead in water

Whether you get your water from a well or a municipal water supply, if there is lead in your pipes, pumps, or plumbing, Health Canada recommends that you let your cold water tap run for about 5 minutes every morning—or just flush your toilet. This will flush out lead and copper that could build up in the water overnight.

Hot water will draw out more lead and other minerals that may be in your plumbing. Always use cold tap water for drinking, cooking, filling your kettle, and mixing formula.

Some municipalities in Nova Scotia keep track of which houses get their water through lead pipes. You can call your municipal water supply to see if they know whether your pipes are lead.



# **Car safety**



Car seats save lives. When you use the right car seat in the right way, you can lower the risk that your child will be hurt or killed in a crash by 70%.

In Nova Scotia, it is the law that your baby must be in a car seat whenever she is in a car or truck. Protect your child by using a car seat on every ride, including when travelling with grandparents, caregivers or in taxis.

A rear-facing seat provides the best protection for your child's head, neck and spine in a sudden stop or crash.

Once your baby is too heavy or too tall for the infant seat, use a larger rear-facing seat.

A rear-facing car seat is safest for your baby. Keep your baby in a rear-facing seat until she reaches the seat's height or weight limits. You'll find information on how to choose and install car seats in **Keep Kids Safe: A Parent's Guide to Car Seats.** You'll find a copy in the "Resources" section of **Loving Care: Parents and Families.** 

# **CAUTION!**

### Buy your baby's car seat in Canada.

Car seats purchased outside of Canada or on-line from non-Canadian sources do not meet Canada's safety standards.

Look for this safety mark.



# **CAUTION!**

Never leave your baby alone in a car, not even for a few minutes.

# **Bath safety**



When your baby can sit up straight by herself, she's old enough to move to the regular bathtub.

### To keep your baby safe while bathing:

- Never leave your baby alone in the tub, even for a second. Babies can drown very quickly in very little water. Don't turn your back—pay close attention while your baby is in the tub. Be sure you have everything you need before you put your baby in the tub. If you have to answer the phone or the door, wrap your baby in a towel and take her with you. Don't leave your baby alone with another child.
- Use a non-slip mat in the tub.
- Put a padded cover on the faucet. Face your baby away from the faucets so she's less likely to reach for them.
- Run the water before you put the baby in the tub. Make sure it's the right temperature —lukewarm, not hot or cold.

- Run about 5 to 8 cm (2 to 3 inches) of water.
- Test the water temperature with your elbow before you put the baby in the tub. The water should be cooler than you would use for your own bath.
- Drain the tub as soon as bath time is over.

Babies often enjoy playing in water. This is a good time for your baby to learn about splashing, pouring, squirting, and squeezing. Bath time can be fun for you both!

# **CAUTION!**

Be sure any electrical items—like hairdryers—are kept unplugged and away from the tub. They can cause electric shock if they fall into water while plugged in.


# CAUTION!

Don't use a baby bath seat or bath ring in the tub.

Health Canada warns parents that baby bath seats can cause drowning.

# Added info...

Babies love bath toys! To prevent mold and mildew, dry the toys and store them in a mesh bag or open container.



I need to move so I can learn and grow. I depend on your loving care and attention to keep me safe while I explore my world—indoors and out.

								1
4 7 1			ORMICAC					
		 2741111						
	C. I. C. A. I. B.		CITICOS	 	 	 		



# **Support and information**


You'll find contact information for all the resources and supports referred to in this book in Loving Care: Parents and Families.

### **Public Health Services**

• Amherst1-800-767-33	19 or (902) 667-3319
Annapolis Royal	(902) 532-0490
• Antigonish(902)	867-4500 ext. 4800
Baddeck	(902) 295-2178
Barrington Passage	(902) 637-2430
Berwick	(902) 538-3700
Bridgewater	(902) 543-0850
Canso	(902) 366-2925
Chester	(902) 275-3581
Cheticamp	(902) 224-2410
• Digby	(902) 245-2557
Elmsdale	(902) 883-3500
Glace Bay	(902) 842-4050
Guysborough	(902) 533-3502
Halifax Regional Municipality	,
and Eastern Shore	(902) 481-5800
• Inverness	(902) 258-1920
• Liverpool	(902) 354-5737
• Lunenburg	(902) 634-4014
Meteghan Centre	(902) 645-2325
Middleton	(902) 825-3385

Neil's Harbour	(902) 336-2295
New Glasgow	(902) 752-5151
New Waterford	(902) 862-2204
Port Hawkesbury	(902) 625-1693
Sheet Harbour	(902) 885-2470
Shelburne	(902) 875-2623
• Sydney	(902) 563-2400
Sydney Mines	(902) 736-6245
• Truro	(902) 893-5820
• Windsor	(902) 798-2264
Wolfville	(902) 542-6310
Yarmouth	(902) 742-7141





${\sf Fhanks!} \ldots 1$	2	2	2	2
--------------------------	---	---	---	---



The Nova Scotia Department of Health and Wellness acknowledges—with thanks!—the many people whose commitment and concern for Nova Scotia's mothers, babies, and families have shaped this book. Your advice, insight, support, and hard work have made this book possible.

In particular, we'd like to thank the Parent Health Education Resource Working Group whose work has been at the heart of Loving Care.

# Parent Health Education Resource Working Group (2008-2011)

- Jennifer Macdonald, (Co-chair), Provincial Health Educator, Department of Health and Wellness
- Rose Couch, (Co-chair), Early Childhood Coordinator, Department of Health and Wellness
- Bonnie Anderson, Public Health Nutritionist, Capital Health
- Kim Arcon, Community Home Visitor, Southwest Nova, Annapolis Valley, and South Shore District Health Authorities
- Sue Arsenault, Public Health Nurse, Pictou County Health Authority
- Audrey Caldwell, Public Health Nurse, Capital Health
- Alice de la Durantaye, Community Outreach Worker, Southwest Nova District Health Authority
- Susan DeWolf, Family Support Worker, Extra Support for Parents Volunteer Service, IWK Health Centre

- Sherry MacDonald, Public Health Nurse, Guysborough Antigonish Strait & Cape Breton District Health Authorities
- Sarah Melanson, Early Childhood Consultant, Public Health Services, Capital Health
- Annette Ryan, Perinatal Nurse Consultant, Reproductive Care Program of Nova Scotia
- Tina Swinamer, Coordinator, Early Childhood Nutrition, Department of Health and Wellness
- Shelley Thompson, Coordinator, Child Care Centres Policy & Program Development, Department of Community Services

**Special thanks** to the many people who, over the years, have contributed to the development or revision of the **Loving Care** books.

- Amy MacAulay, Early Childhood Coordinator, Public Health Services. Capital Health
- Shannon O'Neill, Public Health Dental Hygienist, Public Health Services, Capital Health
- Kathy Inkpen, Family Health Coordinator, Department of Health and Wellness
- Vicki MacLean, Public Health Nurse, Colchester East Hants & Pictou County District Health Authorities
- Kathy Penny, Public Health Nurse, Capital Health
- Trudy Reid, Public Health Nutritionist, Cumberland Health Authority
- Shelley Wilson, Public Health Nutritionist, Southwest Nova District Health Authority

- Pauline Raven, Photo Consultant
- Geneviève Flynn, Resource Specialist, Department of Health and Wellness
- Michelle Newman, Resource Specialist, Department of Health and Wellness

### Ad hoc Nutrition Working Group

- Tina Swinamer, Coordinator, Early Childhood Nutrition, Department of Health and Wellness
- Mary Daly, Public Health Nutritionist, Cape Breton District Health Authority
- Brenda Leenders, Public Health Nutritionist,
   Colchester East Hants District Health Authority
- Bonnie Anderson, Public Health Nutritionist, Capital Health
- Joanne Llewellyn, Public Health Nutritionist, Annapolis Valley District Health Authority

We also offer special thanks to the many public health and community partners who have contributed to the development of this resource.

# **Focus Groups**

We are especially grateful to the many parents who participated in the focus groups that reviewed the various drafts of Loving Care:
6 to 12 Months. Their generosity in sharing their experiences and ideas has contributed greatly to this resource.

- Kids First Family Resource Centre, Pictou County
- Maggie's Place Family Resource Centre, Truro
- Supportive Housing for Young Mothers, Halifax
- Native Council of Nova Scotia, Liverpool
- Bayers Westwood Family Resource Centre, Halifax

- Acadian and Francophone parents in the Clare area of Digby County
- Parents and Home Visitors from the Healthy Beginnings Enhanced Home Visiting Program across Nova Scotia

### **Expert Reviewers**

We thank our reviewers for giving generously of their time and expertise in reviewing this book.

- Michelle Amero, Healthy Eating Coordinator, Department of Health and Wellness
- Ross Anderson, D.D.S., FRCD(C), Chief of Dentistry, IWK Health Centre
- Sarah Blades, Health Promotion Specialist, Child Safety Link, IWK Health Centre
- Carol Camfield, M.D., Neurology, IWK Health Centre
- Paula Canning, Diabetes/Endocrinology Dietitian, IWK Health Centre
- Teri Cole, Communicable Disease Prevention and Control Coordinator, Department of Health and Wellness
- Janelle Comeau, Child and Youth Strategy Specialist, Western Region, Department of Community Services
- Confederacy of Mainland Mi'kmaq, Catherine Knockwood, Maternal Child Health Program Coordinator, for coordinating a review by member communities
- Sharon Davis Murdoch, Special Advisor to the Associate Deputy Minister on Diversity and Social Inclusion, Department of Health and Wellness

Thanks! 12!

- Christine Ellsworth, Psychologist, Preschool Pediatric Program, IWK Health Centre
- Mary Anne Fraser, Coordinator Children in Care, Department of Community Services
- Shelley Goodwin, Registered Psychologist, Yarmouth Mental Health Services, South West Nova District Health Authority
- Beth Guptill, M.D., Family Physician, South West Nova District Health Authority
- Melissa Hum, Executive Director, Bayer's Westwood Family Resource Centre
- Charlotte Jesty, Mijua'jij Aqq Ni'n Coordinator, Unama'ki Maternal Child Health Program, Eskasoni
- Sandeep Kapur, M.D. Pediatric Allergist, Department of Pediatrics, Dalhousie University
- Michelle LeDrew, Health Promotion Manager and National Baby Friendly Initiative assessor candidate, Public Health Services, Capital Health
- Joyce Ledwidge, Neonatal Dietitian, IWK Health Centre
- Steve Machat, Manager, Tobacco Control, Department of Health and Wellness
- Marilyn MacPherson, M.D., Pediatric Physician, Colchester East Hants Health Authority
- Beverley Madill, Community Health Nurse, Potlotek Health Centre, Chapel Island
- Kim McGill, Immunization Coordinator, Department of Health and Wellness
- Heather McKay, Health Promotion Specialist, Child Safety Link, IWK Health Centre

- Cornelia Melville, Registered Child Psychologist, South West Nova District Health Authority
- Patricia Millar, Volunteer La Leche League Canada Leader, Dartmouth, Nova Scotia
- Dee Mombourquette, Communicable Disease Prevention and Control Coordinator, Department of Health and Wellness
- Sandra Muir, Prior Learning Assessment Coordinator, Institute Human Services Education
- Kim Mundle, Car Seat Safety Specialist, Child Safety Link, IWK Health Centre
- Nancy Pasquet, Professional Practice Chief and Coordinator, Clinical Nutrition, IWK Health Centre
- Tanya Poulette, Community Health Nurse, Membertou Wellness Centre
- Shari Ridgewell, Early Childhood Development Consultant, Central Region Children's Unit, Department of Community Services
- UK Baby Friendly Initiative UNICEF
- Kathy Venter, Lead Assessor, WHO/UNICEF Baby Friendly Hospital Initiative
- Robin Walker, M.D., V.P. Medicine, IWK Health Centre
- Gaynor Watson-Creed, M.D., Medical Officer of Health, Public Health Services, Capital Health
- Tracey Williams, M.D., Pediatric Physician, Colchester East Hants Health Authority
- Robert Wright, Executive Director, Child and Youth Strategy, Department of Community Services

### **Families Volunteering for Photo Shoots**

We are especially grateful to the Nova Scotian families whose photos appear in this book. Your bright and beautiful children make this book special.


### Special thanks to:

SHYM, Supportive Housing for Young Mothers, Dartmouth


East Preston Day Care Family Health Resource Centre, East Preston

# Acknowledgements

- Great Kids Inc. for use of their games and activities from program materials Growing Great Kids
- We'd like to thank the Best Start Resource Centre and the Nutrition Resource Centre in Ontario, and Alberta Health and Wellness whose publications, Feeding Your Baby: From Six Months to One Year and Feeding Baby Solid Foods: From 6 to 12 Months of Age provided the inspiration and starting point for our treatment of this topic.









# **Loving Care**



All four Loving Care books can be downloaded at:

www.nshealth.ca/i-have-baby

**Loving Care** is given **free of charge** to all new parents in Nova Scotia.

# **Loving Care**



6 to 12 Months 2020

